






MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

			UNCHECKED cavity number(s) are OPEN <table><tr><td>72</td><td>71</td><td>70</td><td>69</td><td>68</td><td>67</td><td>66</td><td>65</td><td>64</td><td>63</td><td>62</td><td>61</td><td>60</td><td>59</td><td>58</td><td>57</td><td>56</td><td>55</td><td>54</td><td>53</td></tr><tr><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☐</td><td>☐</td><td>☒</td><td>☒</td><td>☐</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td></tr><tr><td>52</td><td>51</td><td>50</td><td>49</td><td>48</td><td>47</td><td>46</td><td>45</td><td>44</td><td>43</td><td>42</td><td>41</td><td>40</td><td>39</td><td>38</td><td>37</td><td>36</td><td>35</td><td>34</td><td>33</td></tr><tr><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☐</td><td>☐</td><td>☒</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td></tr></table> <table><tr><td></td><td></td><td></td><td>32</td><td>31</td><td>30</td><td>29</td><td>28</td><td>27</td><td>26</td><td>25</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td></tr><tr><td>73</td><td></td><td></td><td>☐</td><td>☒</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☐</td></tr><tr><td></td><td>☒</td><td></td><td>16</td><td>15</td><td>14</td><td>13</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr><tr><td></td><td></td><td></td><td>☒</td><td>☐</td><td>☒</td><td>☐</td><td>☒</td><td>☒</td><td>☐</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td><td>☒</td></tr></table>																								72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53	☒	☒	☒	☒	☐	☐	☒	☒	☐	☐	☒	☒	☒	☒	☐	☒	☒	☒	☒	☒	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	☒	☒	☒	☒	☒	☒	☐	☐	☒	☐	☒	☒	☒	☒	☐	☒	☒	☒	☒	☒				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	73			☐	☒	☐	☐	☐	☐	☒	☒	☒	☒	☐	☒	☒	☒	☒	☐		☒		16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1				☒	☐	☒	☐	☒	☒	☐	☒	☒	☒	☒	☒	☒	☒	☒	☒
72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53																																																																																																																																																																			
☒	☒	☒	☒	☐	☐	☒	☒	☐	☐	☒	☒	☒	☒	☐	☒	☒	☒	☒	☒																																																																																																																																																																			
52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33																																																																																																																																																																			
☒	☒	☒	☒	☒	☒	☐	☐	☒	☐	☒	☒	☒	☒	☐	☒	☒	☒	☒	☒																																																																																																																																																																			
			32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17																																																																																																																																																																				
73			☐	☒	☐	☐	☐	☐	☒	☒	☒	☒	☐	☒	☒	☒	☒	☐																																																																																																																																																																				
	☒		16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																				
			☒	☐	☒	☐	☒	☒	☐	☒	☒	☒	☒	☒	☒	☒	☒	☒																																																																																																																																																																				
FOR ADDITIONAL INFORMATION SEE SD-34566-001																																																																																																																																																																																						
STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																																																																																																																																																																																
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fr		COLOR OPTION ▽ Fr	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS ▽ Fr																																																																																																																																																																															
		NUMBER																																																																																																																																																																																				
SALEABLE	12672860	34566-0103	0	A	BLACK																																																																																																																																																																																	
SALEABLE	12672862	34566-0203	0	B	ST GRY	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53																																																																																																																																																													
SALEABLE	12672864	34566-0303	0	C	BLUE	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33																																																																																																																																																													
TOOL DES. REL.	12615660	34566-0403	0	D	BROWN	73				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17																																																																																																																																																													
TOOL DES. REL.	12615661	34566-0503	0	E	GREEN					16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																													
SALEABLE	12672866	34566-0603	0	F	NATURAL																																																																																																																																																																																	
SALEABLE	12672872	34566-0703	0	G	BLUE																																																																																																																																																																																	
SALEABLE	12672870	34566-0803	0	H	ST GRY	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61																																																																																																																																																													
TOOL DES. REL.	12672868	34566-0903	0	J	BLACK	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79																																																																																																																																																													
TOOL DES. REL.	TBD	34566-1003	0	K	BROWN	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21																																																																																																																																																													
TOOL DES. REL.	TBD	34566-1103	0	L	GREEN	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																													
TOOL DES. REL.	TBD	34566-1203	0	M	NATURAL																																																																																																																																																																																	
SALEABLE	12672861	34566-1303	9	A	BLACK																																																																																																																																																																																	
SALEABLE	12672863	34566-1403	9	B	ST GRY	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53																																																																																																																																																													
SALEABLE	12672865	34566-1503	9	C	BLUE	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33																																																																																																																																																													
TOOL DES. REL.	12615663	34566-1603	9	D	BROWN	73				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17																																																																																																																																																													
TOOL DES. REL.	12615664	34566-1703	9	E	GREEN					16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																													
SALEABLE	12672867	34566-1803	9	F	NATURAL																																																																																																																																																																																	
SALEABLE	12672873	34566-1903	9	G	BLUE																																																																																																																																																																																	
SALEABLE	12672871	34566-2003	9	H	ST GRY	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61																																																																																																																																																													
TOOL DES. REL.	12672869	34566-2103	9	J	BLACK	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79																																																																																																																																																													
TOOL DES. REL.	TBD	34566-2203	9	K	BROWN	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21																																																																																																																																																													
TOOL DES. REL.	TBD	34566-2303	9	L	GREEN	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																													
TOOL DES. REL.	TBD	34566-2403	9	M	NATURAL																																																																																																																																																																																	
SALEABLE	12672856	34822-0013	0	A	BLACK	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	66																																																																																																																																																																
						48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33																																																																																																																																																																	
SALEABLE	12672858	34822-0033	0	C	BLUE	65				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17																																																																																																																																																													
										16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																													
SALEABLE	12672857	34822-0023	9	A	BLACK	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	66																																																																																																																																																																
						48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33																																																																																																																																																																	
SALEABLE	12672859	34822-0043	9	C	BLUE	65				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17																																																																																																																																																													
										16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																													



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																																																																																	
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS ▽ Fp																																																																																	
		NUMBER																																																																																					
TOOL DES. REL.	12672852	160094-0001	0	A	BLACK	<table><tr><td rowspan="2">52</td><td>14</td><td>13</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td rowspan="2">2</td></tr><tr><td>26</td><td>25</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td><td>16</td><td>15</td></tr><tr><td rowspan="2">51</td><td>38</td><td>37</td><td>36</td><td>35</td><td>34</td><td>33</td><td>32</td><td>31</td><td>30</td><td>29</td><td>28</td><td>27</td><td rowspan="2">1</td></tr><tr><td>50</td><td>49</td><td>48</td><td>47</td><td>46</td><td>45</td><td>44</td><td>43</td><td>42</td><td>41</td><td>40</td><td>39</td></tr></table>																				52	14	13	12	11	10	9	8	7	6	5	4	3	2	26	25	24	23	22	21	20	19	18	17	16	15	51	38	37	36	35	34	33	32	31	30	29	28	27	1	50	49	48	47	46	45	44	43	42	41	40	39										
52	14	13	12	11	10																						9	8	7	6	5	4	3	2																																																					
	26	25	24	23	22																					21	20	19	18	17	16	15																																																							
51	38	37	36	35	34																					33	32	31	30	29	28	27	1																																																						
	50	49	48	47	46																					45	44	43	42	41	40	39																																																							
TOOL DES. REL.	N/A	160094-0002	0	B	ST GRY																																																																																		
TOOL DES. REL.	12672854	160094-0003	0	C	BLUE																																																																																		
TOOL DES. REL.	N/A	160094-0004	0	D	BROWN																																																																																		
TOOL DES. REL.	N/A	160094-0005	0	E	GREEN																																																																																		
TOOL DES. REL.	N/A	160094-0006	0	F	NATURAL																																																																																		
TOOL DES. REL.	12672853	160094-0013	9	A	BLACK	<table><tr><td rowspan="2">52</td><td>14</td><td>13</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td rowspan="2">2</td></tr><tr><td>26</td><td>25</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td><td>16</td><td>15</td></tr><tr><td rowspan="2">51</td><td>38</td><td>37</td><td>36</td><td>35</td><td>34</td><td>33</td><td>32</td><td>31</td><td>30</td><td>29</td><td>28</td><td>27</td><td rowspan="2">1</td></tr><tr><td>50</td><td>49</td><td>48</td><td>47</td><td>46</td><td>45</td><td>44</td><td>43</td><td>42</td><td>41</td><td>40</td><td>39</td></tr></table>																				52	14	13	12	11	10	9	8	7	6	5	4	3	2	26	25	24	23	22	21	20	19	18	17	16	15	51	38	37	36	35	34	33	32	31	30	29	28	27	1	50	49	48	47	46	45	44	43	42	41	40	39										
52	14	13	12	11	10																						9	8	7	6	5	4	3	2																																																					
	26	25	24	23	22																					21	20	19	18	17	16	15																																																							
51	38	37	36	35	34																					33	32	31	30	29	28	27	1																																																						
	50	49	48	47	46																					45	44	43	42	41	40	39																																																							
TOOL DES. REL.	N/A	160094-0014	9	B	ST GRY																																																																																		
TOOL DES. REL.	12672855	160094-0015	9	C	BLUE																																																																																		
TOOL DES. REL.	N/A	160094-0016	9	D	BROWN																																																																																		
TOOL DES. REL.	N/A	160094-0017	9	E	GREEN																																																																																		
TOOL DES. REL.	N/A	160094-0018	9	F	NATURAL																																																																																		
NA	NA	NA	NA	NA	NA	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="4">73</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																									73																																																								
						73																																																																																	
SALEABLE	NOT APPLICABLE	34566-2503	0	A	BLACK	<table><tr><td>72</td><td>71</td><td></td><td>69</td><td>68</td><td>67</td><td>66</td><td></td><td>64</td><td>63</td><td>62</td><td></td><td></td><td>59</td><td></td><td></td><td>56</td><td></td><td></td><td>53</td></tr><tr><td></td><td></td><td>50</td><td></td><td>48</td><td></td><td>46</td><td></td><td>44</td><td>43</td><td>42</td><td></td><td></td><td>39</td><td></td><td></td><td>36</td><td>35</td><td></td><td>33</td></tr><tr><td colspan="4">73</td><td>32</td><td></td><td>30</td><td>29</td><td></td><td>27</td><td></td><td></td><td>23</td><td></td><td></td><td>20</td><td></td><td></td><td></td><td>17</td></tr><tr><td colspan="4"></td><td></td><td></td><td>14</td><td>13</td><td>12</td><td>11</td><td></td><td>9</td><td>8</td><td></td><td></td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr></table>	72	71		69	68	67	66		64	63	62			59			56			53			50		48		46		44	43	42			39			36	35		33	73				32		30	29		27			23			20				17							14	13	12	11		9	8			5	4	3	2	1	
						72	71		69	68	67	66		64	63	62			59			56			53																																																														
								50		48		46		44	43	42			39			36	35		33																																																														
73				32		30	29		27			23			20				17																																																																				
						14	13	12	11		9	8			5	4	3	2	1																																																																				
SALEABLE	NOT APPLICABLE	34566-2603	0	B	ST GRY	<table><tr><td></td><td></td><td></td><td></td><td></td><td>67</td><td>66</td><td>65</td><td></td><td></td><td></td><td></td><td></td><td>59</td><td></td><td>57</td><td></td><td>55</td><td></td><td>53</td></tr><tr><td></td><td></td><td></td><td>49</td><td>48</td><td>47</td><td></td><td></td><td>44</td><td></td><td></td><td></td><td>39</td><td></td><td>37</td><td></td><td>35</td><td></td><td>33</td></tr><tr><td colspan="4">73</td><td></td><td></td><td></td><td>29</td><td>28</td><td></td><td></td><td></td><td>23</td><td></td><td>21</td><td></td><td></td><td></td><td></td></tr><tr><td colspan="4"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						67	66	65						59		57		55		53				49	48	47			44				39		37		35		33	73							29	28				23		21																	7										
											67	66	65						59		57		55		53																																																														
									49	48	47			44				39		37		35		33																																																															
73							29	28				23		21																																																																									
												7																																																																											
SALEABLE	NOT APPLICABLE	34566-2703	0	B	ST GRY	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>65</td><td></td><td></td><td></td><td></td><td></td><td>59</td><td></td><td>57</td><td></td><td>55</td><td></td><td>53</td></tr><tr><td></td><td></td><td></td><td>49</td><td>48</td><td>47</td><td></td><td></td><td>44</td><td></td><td></td><td></td><td>39</td><td></td><td>37</td><td></td><td>35</td><td></td><td>33</td></tr><tr><td colspan="4">73</td><td></td><td></td><td></td><td>29</td><td>28</td><td></td><td></td><td></td><td>23</td><td></td><td>21</td><td></td><td></td><td></td><td></td></tr><tr><td colspan="4"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								65						59		57		55		53				49	48	47			44				39		37		35		33	73							29	28				23		21																	7										
													65						59		57		55		53																																																														
									49	48	47			44				39		37		35		33																																																															
73							29	28				23		21																																																																									
												7																																																																											
SALEABLE	TBD	34566-2803	0	H	ST GRY	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																																																																																	
SALEABLE	NOT APPLICABLE	34566-2903	0	A	BLACK	<table><tr><td>72</td><td>71</td><td>70</td><td>69</td><td>68</td><td>67</td><td>66</td><td></td><td>64</td><td>63</td><td>62</td><td>61</td><td></td><td>59</td><td></td><td></td><td></td><td>55</td><td>54</td><td>53</td></tr><tr><td>52</td><td>51</td><td></td><td>49</td><td>48</td><td></td><td></td><td></td><td>44</td><td>43</td><td>42</td><td>41</td><td></td><td>39</td><td></td><td></td><td></td><td>35</td><td>34</td><td>33</td></tr><tr><td colspan="4">73</td><td>32</td><td>31</td><td></td><td>29</td><td></td><td>27</td><td></td><td>25</td><td></td><td>23</td><td></td><td></td><td></td><td>19</td><td>18</td><td>17</td></tr><tr><td colspan="4"></td><td>16</td><td></td><td></td><td>13</td><td>12</td><td>11</td><td></td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr></table>	72	71	70	69	68	67	66		64	63	62	61		59				55	54	53	52	51		49	48				44	43	42	41		39				35	34	33	73				32	31		29		27		25		23				19	18	17					16			13	12	11		9	8	7	6	5	4	3	2	1	
						72	71	70	69	68	67	66		64	63	62	61		59				55	54	53																																																														
						52	51		49	48				44	43	42	41		39				35	34	33																																																														
73				32	31		29		27		25		23				19	18	17																																																																				
				16			13	12	11		9	8	7	6	5	4	3	2	1																																																																				
SALEABLE	NOT APPLICABLE	34566-3003	0	A	BLACK	<table><tr><td>72</td><td>71</td><td>70</td><td>69</td><td>68</td><td>67</td><td>66</td><td></td><td>64</td><td>63</td><td>62</td><td></td><td>60</td><td>59</td><td>58</td><td>57</td><td>56</td><td>55</td><td>54</td><td>53</td></tr><tr><td>52</td><td>51</td><td>50</td><td>49</td><td>48</td><td>47</td><td>46</td><td></td><td>44</td><td>43</td><td>42</td><td>41</td><td>40</td><td>39</td><td>38</td><td>37</td><td>36</td><td>35</td><td>34</td><td>33</td></tr><tr><td colspan="4">73</td><td>32</td><td>31</td><td>30</td><td>29</td><td>28</td><td>27</td><td></td><td>25</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td></tr><tr><td colspan="4"></td><td>16</td><td>15</td><td>14</td><td>13</td><td>12</td><td>11</td><td></td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr></table>	72	71	70	69	68	67	66		64	63	62		60	59	58	57	56	55	54	53	52	51	50	49	48	47	46		44	43	42	41	40	39	38	37	36	35	34	33	73				32	31	30	29	28	27		25	24	23	22	21	20	19	18	17					16	15	14	13	12	11		9	8	7	6	5	4	3	2	1	
						72	71	70	69	68	67	66		64	63	62		60	59	58	57	56	55	54	53																																																														
						52	51	50	49	48	47	46		44	43	42	41	40	39	38	37	36	35	34	33																																																														
73				32	31	30	29	28	27		25	24	23	22	21	20	19	18	17																																																																				
				16	15	14	13	12	11		9	8	7	6	5	4	3	2	1																																																																				
SALEABLE	NOT APPLICABLE	34566-3103	0	B	ST GRY	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>65</td><td></td><td></td><td>62</td><td></td><td></td><td>59</td><td></td><td>57</td><td></td><td>55</td><td></td><td>53</td></tr><tr><td></td><td></td><td></td><td>49</td><td>48</td><td></td><td>46</td><td></td><td></td><td></td><td>42</td><td></td><td></td><td>39</td><td></td><td>37</td><td></td><td>35</td><td></td><td>33</td></tr><tr><td colspan="4">73</td><td></td><td></td><td></td><td>29</td><td></td><td></td><td>26</td><td></td><td></td><td>23</td><td></td><td>21</td><td></td><td></td><td>18</td><td></td></tr><tr><td colspan="4"></td><td></td><td>15</td><td></td><td></td><td></td><td></td><td></td><td>9</td><td>8</td><td>7</td><td></td><td></td><td>4</td><td>3</td><td></td><td></td></tr></table>								65			62			59		57		55		53				49	48		46				42			39		37		35		33	73							29			26			23		21			18							15						9	8	7			4	3			
													65			62			59		57		55		53																																																														
									49	48		46				42			39		37		35		33																																																														
73							29			26			23		21			18																																																																					
					15						9	8	7			4	3																																																																						
SALEABLE	NOT APPLICABLE	34566-3203	0	B	ST GRY	<table><tr><td></td><td></td><td></td><td></td><td></td><td>67</td><td></td><td></td><td></td><td></td><td></td><td></td><td>60</td><td>59</td><td>58</td><td>57</td><td>56</td><td>55</td><td></td><td>53</td></tr><tr><td></td><td></td><td>50</td><td>49</td><td>48</td><td></td><td>46</td><td></td><td></td><td></td><td></td><td></td><td>39</td><td>38</td><td>37</td><td></td><td>35</td><td>34</td><td>33</td></tr><tr><td colspan="4">73</td><td></td><td></td><td></td><td>29</td><td></td><td></td><td></td><td></td><td></td><td>23</td><td>22</td><td>21</td><td></td><td></td><td>18</td><td></td></tr><tr><td colspan="4"></td><td>16</td><td>15</td><td>14</td><td></td><td></td><td></td><td></td><td></td><td></td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td></td><td></td></tr></table>						67							60	59	58	57	56	55		53			50	49	48		46						39	38	37		35	34	33	73							29						23	22	21			18						16	15	14							7	6	5	4	3				
											67							60	59	58	57	56	55		53																																																														
								50	49	48		46						39	38	37		35	34	33																																																															
73							29						23	22	21			18																																																																					
				16	15	14							7	6	5	4	3																																																																						
SALEABLE	NOT APPLICABLE	34566-3303	0	B	ST GRY	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>59</td><td>58</td><td>57</td><td>56</td><td>55</td><td></td><td>53</td></tr><tr><td></td><td></td><td>50</td><td>49</td><td>48</td><td></td><td>46</td><td></td><td></td><td></td><td></td><td></td><td>39</td><td>38</td><td>37</td><td></td><td>35</td><td>34</td><td>33</td></tr><tr><td colspan="4">73</td><td></td><td></td><td></td><td>29</td><td></td><td></td><td></td><td></td><td></td><td>23</td><td>22</td><td>21</td><td></td><td></td><td>18</td><td></td></tr><tr><td colspan="4"></td><td>16</td><td>15</td><td>14</td><td></td><td></td><td></td><td></td><td></td><td></td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td></td><td></td></tr></table>														59	58	57	56	55		53			50	49	48		46						39	38	37		35	34	33	73							29						23	22	21			18						16	15	14							7	6	5	4	3				
																			59	58	57	56	55		53																																																														
								50	49	48		46						39	38	37		35	34	33																																																															
73							29						23	22	21			18																																																																					
				16	15	14							7	6	5	4	3																																																																						
SALEABLE	NOT APPLICABLE	34566-3403	SEE 34566-3003																																																																																				
SALEABLE	NOT APPLICABLE	34566-3503	0	A	BLACK	<table><tr><td>72</td><td>71</td><td></td><td>69</td><td>68</td><td>67</td><td>66</td><td></td><td>64</td><td>63</td><td>62</td><td></td><td>60</td><td>59</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>52</td><td></td><td></td><td>49</td><td>48</td><td></td><td>46</td><td></td><td>44</td><td>43</td><td>42</td><td></td><td>40</td><td>39</td><td></td><td></td><td></td><td>35</td><td></td><td>33</td></tr><tr><td colspan="4">73</td><td>32</td><td></td><td></td><td>29</td><td></td><td>27</td><td></td><td></td><td>24</td><td>23</td><td></td><td></td><td></td><td></td><td></td><td>17</td></tr><tr><td colspan="4"></td><td></td><td></td><td></td><td>14</td><td>13</td><td>12</td><td>11</td><td></td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr></table>	72	71		69	68	67	66		64	63	62		60	59							52			49	48		46		44	43	42		40	39				35		33	73				32			29		27			24	23						17								14	13	12	11		9	8	7	6	5	4	3	2	1
						72	71		69	68	67	66		64	63	62		60	59																																																																				
						52			49	48		46		44	43	42		40	39				35		33																																																														
73				32			29		27			24	23						17																																																																				
							14	13	12	11		9	8	7	6	5	4	3	2	1																																																																			



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																			
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS																			
		NUMBER				▽ Fp																			
SALEABLE	NOT APPLICABLE	34566-3603	0	B	ST GR					68				64					59		57		55		53
									49	48		46							39		37		35		33
						73				32			29						23		21			18	
						73								11	10				7						
SALEABLE	NOT APPLICABLE	34566-3703	0	A	BLACK					68	67	66	65						59				55		53
									49	48	47			44					39				35		33
						73							29	28					23						
						73													7						
SALEABLE	NOT APPLICABLE	34566-3803	0	A	BLACK	72	71		69	68	67	66		64	63	62			59			56			53
									50	48		46		44	43	42			39			36	35		33
						73				32		30	29		27				23			20			17
						73						14	13	12	11	10	9	8			5	4	3	2	1
SALEABLE	NOT APPLICABLE	34566-3903	0	B	ST GR									65					59		57		55		53
									49	48		46		44					39		37		35		33
						73							29	28				24	23		21				
						73													7						
SALEABLE	NOT APPLICABLE	34566-4003	0	B	ST GR						67	66		64	63				59		57		55		53
									50	49	48				43				39		37		35		33
						73				32			29		27			24	23		21			18	
						73					15								7	6	5	4	3		
SALEABLE	NOT APPLICABLE	34566-4103	0	A	BLACK	72	71		69	68	67	66		64	63	62		60	59						
						52			49	48		46	45	44	43	42		40	39				35		33
						73				32			29		27	26		24	23					17	
						73						14	13	12	11	10	9	8	7	6	5	4	3	2	1
SALEABLE	NOT APPLICABLE	34566-4203	0	B	ST GR									64					59		57		55		53
									50	49	48		46						39		37		35		33
						73				32			29					24	23		21			18	
						73					15								7	6	5	4	3		
SALEABLE	NOT APPLICABLE	34566-4303	0	A	BLACK			70	69	68	67		65	64	63		61		59	58	57	56			
								50	49	48	47						41			38	37	36		34	33
						73				32	31	30	29	28	27			24	23			20	19	18	
						73				16			13	12	11	10	9							1	
SALEABLE	NOT APPLICABLE	34566-4403	0	A	BLACK	72	71	70	69	68	67	66	65	64	63		61		59	58	57	56			
									50	49	48	47					41			38	37	36		34	33
						73				32	31	30	29	28	27			24	23			20	19	18	
						73				16			13	12	11	10	9			6		4			
SALEABLE	NOT APPLICABLE	34566-4503	0	H	ST GR		79	78	77	76	75	74	73	72	71	70	69	68		66	65	64	63		61
						60	59	58	57	56				53			50					44	43		41
						40	39	38	37		35	34	33	32		30	29		27	26		24	23	22	21
						20	19	18	17					13	12	11		8		6	5		3	2	
SALEABLE	NOT APPLICABLE	34566-4603	0	H	ST GR		79	78	77	76	75	74	73	72	71	70	69	68		66	65	64	63		61
						60	59	58	57	56				53			50					44	43		41
						40	39	38	37		35	34	33	32		30	29		27	26				22	21
						20	19	18	17					13	12			8		6	5		3	2	
SALEABLE	NOT APPLICABLE	34566-4703	0	B	ST GR						67	66	65	64					59	58	57		55		53
									49	48	47			44					39	38	37		35		33
						73							29						23	22	21				
						73								12			9		7						
SALEABLE	NOT APPLICABLE	34566-4803	0	A	BLACK	72	71		69	68	67	66		64	63	62	61		59						53
										48				44		42	41		39				35		33
						73				32			29		27		25		23						17
						73							13	12	11		9	8			5	4	3	2	1
SALEABLE	NOT APPLICABLE	34566-4903	0	A	BLACK	72	71	70	69	68		66	65	64	63	62	61		59	58	57	56	55		
						52	51	50	49		47			44	43		41			38	37	36	35	34	33
						73				32	31	30	29	28	27			24	23			20	19	18	17
						73				16	15	14	13	12	11	10	9							2	1
SALEABLE	NOT APPLICABLE	34566-5003	0	H	ST GR		79	78	77	76	75	74	73	72	71	70	69	68		66	65	64	63		61
						60	59	58	57	56				53	52		50					44	43		41
						40	39	38	37		35	34	33	32		30	29		27	26				22	21
						20	19	18	17	16		14	13	12	11	10	9	8		6	5		3	2	



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																				
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fr	COLOR OPTION ▽ Fr	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS ▽ Fr																				
		NUMBER																								
SALEABLE	NOT APPLICABLE	34566-5103	0	B	ST GRY						67	66	65						59		57		55		53	
									49	48	47	46		44						39		37		35		33
						73							29	28						23		21				
SALEABLE	NOT APPLICABLE	34566-5203	0	A	BLACK	72	71		69	68	67	66		64	63	62			59	58	57	56		54	53	
						52	51	50	49	48	47	46		44	43	42			39	38	37	36	35	34	33	
						73					32	31	30	29		27			24	23	22	21	20	19		17
SALEABLE	NOT APPLICABLE	34566-5303	0	B	ST GRY								65	64					59		57		55		53	
								50	49	48		46							39		37		35		33	
						73					32			29						23		21				
SALEABLE	NOT APPLICABLE	34566-5403	0	B	ST GRY								65						59	58	57	56	55		53	
								50	49	48		46	45						39	38	37		35	34	33	
						73							29						23	22	21			18		
SALEABLE	NOT APPLICABLE	34566-5503	0	A	BLACK	72	71		69	68	67	66		64	63	62		60	59							
						52			49	48		46		44	43	42		40	39				35		33	
						73					32			29		27	26		24	23					17	
SALEABLE	NOT APPLICABLE	34566-5603	SEE 34566-2503																							
SALEABLE	NOT APPLICABLE	34566-5703	0	B	ST GRY					68									59		57		55		53	
									49	48		46								39		37		35		33
						73							29						23		21			18	17	
SALEABLE	NOT APPLICABLE	34566-5803	0	B	ST GRY								65						59		57		55		53	
									49	48	47								39		37		35		33	
						73							29						23		21				17	
SALEABLE	NOT APPLICABLE	34566-5903	0	A	BLACK	72	71		69	68	67	66		64	63	62			59						53	
										48				44	43	42			39				35		33	
						73					32			29		27			23						17	
SALEABLE	NOT APPLICABLE	34566-6003	0	B	ST GRY						67	66	65						59		57		55		53	
									49	48	47								39		37		35		33	
						73							29						23		21					
SALEABLE	NOT APPLICABLE	34566-6103	0	B	ST GRY						67	66	65			62			59		57		55		53	
									49	48	47					42			39		37		35		33	
						73							29		26			9		7						
SALEABLE	NOT APPLICABLE	34566-6203	0	A	BLACK		71	70	69	68			65	64	63		61		59		57	56				
						52	51	50	49		47						41				38	37	36		34	33
						73					32	31	30	29	28	27			24	23			20	19	18	
SALEABLE	NOT APPLICABLE	34566-6303	0	A	BLACK		71	70	69	68			65	64	63		61		59		57	56				
						52	51	50	49		47						41				38	37	36		34	33
						73					32	31	30	29	28	27			24	23			20	19	18	
SALEABLE	NOT APPLICABLE	34566-6403	0	A	BLACK		71		69	68			65	64	63		61		59	58		56				
						52			50	49		47					41				38	37	36		34	33
						73					32	31	30	29	28	27			24	23			20	19	18	17
SALEABLE	NOT APPLICABLE	34566-6503	0	A	BLACK		71		69	68			65	64	63		61		59	58		56				
						52			50	49		47					41				38	37	36		34	33
						73					32	31	30	29	28	27			24	23			20	19	18	17



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																							
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS ▽ Fp																							
		NUMBER																											
SALEABLE	NOT APPLICABLE	34566-6603	0	H	ST GRY		79	78	77	76	75	74	73	72	71	70	69	68		66	65	64	63					61	
						60	59	58	57	56			53	52		50							44	43					41
						40	39	38	37		35	34	33	32		30	29		27	26						22			21
						20	19	18	17	16			13	12				8		6	5			3	2				
SALEABLE	NOT APPLICABLE	34566-6703	0	H	ST GRY		79	78	77	76	75	74	73	72	71	70	69	68		66	65	64	63					61	
						60	59	58	57	56			53			50							44	43				41	
						40	39	38	37		35	34	33	32		30	29		27	26						22		21	
						20	19	18	17			14	13	12	11	10	9	8		6	5			3	2				
SALEABLE	NOT APPLICABLE	34566-6803	0	B	ST GRY								65						59		57		55			53			
									49	48		46		44					39		37		35			33			
						73							29	28					23		21								
																			7										
SALEABLE	NOT APPLICABLE	34566-6903	0	B	ST GRY									64					59		57		55			53			
									49	48		46							39		37		35			33			
						73							32			29					23		21			18			
																			7										
SALEABLE	NOT APPLICABLE	34566-7003	0	B	ST GRY						67	66						59		57	56	55			53				
								50	49	48	47							39		37	36	35			33				
						73								29					23		21			18		17			
											15		13	12				8	7	6	5	4	3						
SALEABLE	NOT APPLICABLE	34566-7103	0	A	BLACK	72	71	70	69	68	67	66		64	63	62		60	59				55	54		53			
						52			49	48				44	43	42		40	39				35	34		33			
						73							32			29	28	27		24	23				19	18	17		
										16			13	12	11		9	8	7	6	5	4	3	2	1				
SALEABLE	NOT APPLICABLE	34566-7203	0	B	ST GRY	72	71	70	69	68	67	66	65	64	63	62		60	59				55	54		53			
						52			49	48				44	43	42			39				35	34		33			
						73							32			29		27		24	23			20	19	18	17		
										16			13	12	11		9	8	7	6	5	4	3	2	1				
SALEABLE	NOT APPLICABLE	34566-7303	0	B	ST GRY				69	68		66						59		57		55			53				
									49	48		46		44				39		37		35			33				
						73								29	28				23		21			18		17			
														12	11	10			7										
SALEABLE	NOT APPLICABLE	34566-7403	0	B	ST GRY				50	49	48		46					59		57		55			53				
																	39		37		35								
						73							29						23		21								
											15							7	6	5	4	3							
SALEABLE	NOT APPLICABLE	34566-7503	0	A	BLACK	72	71	70	69	68	67	66		64	63	62		60	59	58	57	56	55	54		53			
						52	51	50	49	48	47	46		44	43	42		40	39	38	37	36	35	34		33			
						73							32	31	30	29	28	27			24	23	22	21	20	19	18	17	
										16	15	14	13	12	11		9	8	7	6	5	4	3	2	1				
SALEABLE	NOT APPLICABLE	34566-7603	0	B	ST GRY				69	68		66						59		57		55			53				
									49	48		46		44				39		37		35			33				
						73								29	28					23		21			18		17		
														12	11	10			7										
SALEABLE	NOT APPLICABLE	34566-7703	0	A	BLACK	72	71	70	69	68	67	66		64	63	62		60	59				55	54		53			
						52			49	48				44	43	42		40	39				35	34		33			
						73							32			29		27		24	23				19	18	17		
										16			13	12	11		9	8	7	6	5	4	3	2	1				
SALEABLE	NOT APPLICABLE	34566-7803	0	A	BLACK	72	71	70		68		66		64	63	62	61	60	59				55	54		53			
						52			49	48		46		44	43	42		40	39				35	34		33			
						73							32			29	28	27			24	23				19	18	17	
										16		14	13	12	11		9	8	7	6			3	2	1				
SALEABLE	NOT APPLICABLE	34566-7903	0	B	ST GRY									64			61		59		57		55		53				
																42			39				35			33			
						73													23				20	19					
											15												4	3	2	1			
SALEABLE	NOT APPLICABLE	34566-8003	0	A	BLACK				69	68			65	64	63		61	60	59	58		56							
						52			50	49	48	47						41			38	37	36		34		33		
					73							32	31	30	29	28	27			24	23			20	19	18	17		
								16				13	12	11	10	9									1				



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																				
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION Fp	COLOR OPTION Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS																				
		NUMBER				Fp																				
SALEABLE	NOT APPLICABLE	34566-1143	0	A	BLACK					68			65		63		61		59	58		56			53	
						52		50				47					41			38	37	36	35	34	33	
						73					32	31	30	29	28	27		25	24	23	22	21	20	19	18	17
SALEABLE	NOT APPLICABLE	34566-1153	0	A	BLACK			70			67	66	65						58	57		55			1	
									49		47			44	43	42	41		39		37					
						73					32		30		27		25	24	23		21	20	19	18		
SALEABLE	NOT APPLICABLE	34566-1163	0	H	ST GRY			78						72	71	70	69	68		66	65	64	63		61	
						60	59	58	57	56			53	52		50						44	43		41	
						40			37		35	34		32		30	29		27	26				22	21	
SALEABLE	NOT APPLICABLE	34566-1173	0	A	BLACK		20	19	18	17	16			13	12			8		6	5		3	2		
						72	71		69	68			65	64	63	62	61	60	59	58		56		54		
						52		50	49	48	47		45			42	41			38	37	36		34	33	
SALEABLE	NOT APPLICABLE	34566-1183	0	B	ST GRY	73				32	31	30	29	28	27	26		24	23		20	19	18	17		
										16			13	12	11	10	9									
												66	65	64		62			59		57		55		53	
SALEABLE	NOT APPLICABLE	34566-1193	0	A	BLACK				49	48	47			44		42			39		37		35		33	
						73								29	28				23		21			17		
														12			9		7							
SALEABLE	NOT APPLICABLE	34566-1213	0	A	BLACK	72	71			69	68	67	66		64	63	62		60	59				54	53	
						52				49	48		46		44	43	42			39					34	33
						73				32			29		27			23							17	
SALEABLE	NOT APPLICABLE	34566-1233	0	B	ST GRY								14	13	12	11		9	8	7	6	5	4	3	2	1
													65			62			59		57		55		53	
										48		46			42			39		37		35		33		
SALEABLE	NOT APPLICABLE	34566-1243	0	B	ST GRY	73							29			26		23		21				17		
																	12			9		7				
																			59		57		55		53	
SALEABLE	NOT APPLICABLE	34566-1253	9	B	ST GRY			50		48		46						39		37		35		33		
						73							29					23		21				17		
											15			12				7	6	5	4	3				
SALEABLE	NOT APPLICABLE	34566-1263	9	A	BLACK								65					60	59		57		55		53	
									49	48		46						40	39		37		35		33	
						73												24	23		21				2	
SALEABLE	NOT APPLICABLE	34566-1273	0	A	BLACK	NUMBERS IN BOLD MUST USE SAE WIRE MEETING SAE J1128, WIRE SIZE (NO. 20) OR (NO. 18 MAX. O. D. OF 2.06 MM) PER G. M. DRAWING NUMBER 12582682.																				
						72	71		69	68	67	66		64	63	62			59			56			53	
								50		48		46		44	43	42			39			36	35		33	
SALEABLE	NOT APPLICABLE	34566-1283	0	A	BLACK	73				32		30	29		27		24	23			20			17		
												14	13	12	11		9	8			5	4	3	2	1	
								70	69	68			65	64	63		61		59	58	57	56				
SALEABLE	NOT APPLICABLE	34566-1293	0	A	BLACK	52		50	49	48	47						41			38	37	36		34	33	
						73				32	31	30	29	28	27			24	23			20	19	18		
										16			13	12	11	10	9								1	
SALEABLE	NOT APPLICABLE	34566-1303	0	A	BLACK	72	71	70	69	68		66	65	64	63		61		59	58	57	56		54		
						52		50	49	48	47						42	41		38	37	36		34	33	
						73				32	31	30	29	28	27	26		24	23			20	19	18		

ECN NO. : 608946
DATE:2018/12/12

DOCUMENT NO. : 345660001-SD

REVISION:A8
PAGE: 15 OF 60

ECN NO. : 608946
DATE:2018/12/12

DOCUMENT NO. : 345660001-SD

REVISION:A8
PAGE: 25 OF 60



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																					
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS ▽ Fp																					
		NUMBER																									
SALEABLE	NOT APPLICABLE	34566-4233	0	B	ST GRY				69				65	64	63												
									49				45	44	43												
						73								12	11		9		23	22	21	20	19	18			
SALEABLE	NOT APPLICABLE	34566-4243	0	A	BLACK											61				58	57	56					
							51	50			47	46							38	37	36						
						73					31	30			26			22	21	20							
SALEABLE	NOT APPLICABLE	34566-4253	0	A	BLACK							65				61				58	57	56					
							51	50			47	46	45						38	37	36						
						73					31	30			26			22	21	20							
SALEABLE	NOT APPLICABLE	34566-4263	0	B	ST GRY	72	71	70	69	68			65	64		62	61	60						54			
						52	51				47	46		44		42	41	40									
						73				32	31	30		28		26	25	24				20	19		17		
SALEABLE	NOT APPLICABLE	34566-4273	0	B	ST GRY	72	71	70	69	68	67	66	65	64		62	61	60						54			
						52	51				47		45	44		42	41	40									
						73				32	31	30		28		26	25	24				20	19		17		
SALEABLE	NOT APPLICABLE	34566-4283	0	A	BLACK			70	69						63	62	61	60			57	56	55	54	53		
						52	51		49					44	43	42	41				37	36		34			
						73				32				29	28	27	26		23				19	18			
SALEABLE	NOT APPLICABLE	34566-4293	0	B	ST GRY						67	66			63				59	58	57	56	55		53		
								50	49	48			45		43				39	38	37	36	35	34	33		
						73								29		27				23	22	21			18		
SALEABLE	NOT APPLICABLE	34566-4313	0	B	ST GRY										63				59	58	57	56	55		53		
								50	49	48		46			43				39	38	37	36	35	34	33		
						73								29		27				23	22	21			18		
SALEABLE	NOT APPLICABLE	34566-4323	0	B	ST GRY	72		70		68		66						60	59				55	54	53		
						52		50		48		46					40	39					35	34	33		
						73				32	31	30	29	28	27	26	25	24					19	18	17		
SALEABLE	NOT APPLICABLE	34566-4333	0	A	BLACK			70	69		67			64	63			60	59			56	55	54	53		
						52	51		49		47		45	44	43	42	41			38		36		34			
						73				32		30		28		26	25		23				19	18			
SALEABLE	NOT APPLICABLE	34566-4343	0	A	BLACK									64	63			60	59	58		56	55	54	53		
						52	51		49		47		45	44	43	42	41			38		36		34			
						73				32		30		28		26	25					19	18				
SALEABLE	NOT APPLICABLE	34566-4353	0	C	BLUE	72		70		68					63	62			59	58	57				53		
						52	51			48	47			44		42		40	39						34	33	
						73				32		30				26	25		23	22	21	20			17		
SALEABLE	NOT APPLICABLE	34566-4363	0	A	BLACK			70	69						63	62	61	60			58	57	56	55	54	53	
						52	51		49					44	43	42	41					37	36		34		
						73				32			29	28	27	26			23				19	18			
SALEABLE	NOT APPLICABLE	34566-4373	0	A	BLACK			70	69						63					58		56		54			
						52	51		49		47			44	43	42	41	40					36		34		
						73				32				28		26							19	18	17		
SALEABLE	NOT APPLICABLE	34566-4383	0	H	ST GRY		79					74	73	72	71		69	68	67			64		62	61		
							59					54		52			49	48	47				42	41			
								38				33				29	27	27		25							
		18			15	14			11	10	9	8	7														



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																							
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION Fr	COLOR OPTION Fr	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS Fr																							
		NUMBER																											
SALEABLE	NOT APPLICABLE	34566-4563	0	B	ST GRY					68	67			64	63					58			55		53				
												46	45		43					38			35						
						73				32		30	29	28	27					22			19		17				
SALEABLE	NOT APPLICABLE	34566-4573	0	B	ST GRY					68	67			64	63					58					53				
												46	45		43					38									
						73				32		30	29	28	27					22					17				
SALEABLE	NOT APPLICABLE	34566-4583	0	B	ST GRY					68	67			64					58					53					
												46	45							38									
						73				32		30	29	28	27					22					17				
SALEABLE	NOT APPLICABLE	34566-4593	0	B	ST GRY					68	67			64					58					53					
												46	45							38									
						73				32		30	29	28	27					22					17				
SALEABLE	NOT APPLICABLE	34566-4593	0	B	ST GRY					68	67			64					58					53					
												46	45							38									
						73				32		30	29	28	27					22					17				
SALEABLE	NOT APPLICABLE	34566-4613	0	A	BLACK	72			69		67	66	65		63			60		57	56			53					
									49		47			44	43	42		40		37	36	35		33					
						73					31	30	29	28	27	26		24		21	20				17				
SALEABLE	NOT APPLICABLE	34566-4623	0	B	ST GRY					68		66					60	59				55	54	53					
										52		50		48		46				40	39			35	34	33			
						73				32	31	30	29	28	27	26	25	24	23						17				
SALEABLE	NOT APPLICABLE	34566-4633	0	A	BLACK					68				64	63			60	59	58		56	55	54	53				
										52	51		49		47		45	44	43	42	41			38		36		34	
						73				32		30		28		26					21		19	18					
SALEABLE	NOT APPLICABLE	34566-4643	0	B	ST GRY					68		66					60	59				55	54	53					
										52		50		48		46				40	39			35	34	33			
						73				32	31	30	29	28	27	26	25	24	23				19	18	17				
SALEABLE	NOT APPLICABLE	34566-4653	0	A	BLACK					68				64	63			60	59	58		56	55	54	53				
										52	51		49		47		45	44	43	42	41			38		36		34	
						73				32		30		28		26					21		19	18					
SALEABLE	NOT APPLICABLE	34566-4663	0	A	BLACK					68				64	63			60	59	58		56	55	54	53				
										52	51		49		47		45	44	43	42	41			38		36		34	
						73				32		30		28		26							19	18					
SALEABLE	NOT APPLICABLE	34566-4673	0	A	BLACK						67	66																	
											47						41												
						73				32	31	30	29		27	26	25			22	21		19	18	17				
SALEABLE	NOT APPLICABLE	34566-4683	9	B	ST GRY					68	67	66	65	64			62	61	60	59	58	57	56	55	54				
										52	51	50	49			46		44			41	40		38	37	36			
						73				32	31	30	29	28	27		25	24			21	20		18	17				
SALEABLE	NOT APPLICABLE	34566-4693	0	B	ST GRY					68	67	66	65				61	60			57	56	55	54					
										52	51	50	49	48		46		44			41	40		38	37	36			
						73				32	31	30	29	28	27			24			21	20	19	18	17				
SALEABLE	NOT APPLICABLE	34566-4713	0	A	BLACK					64				64	63			60	59			56	55	54	53				
										52	51		49		47		45	44	43	42	41				36		34		
						73				32		30		28		26			23				19	18					
SALEABLE	NOT APPLICABLE	34566-4723	0	A	BLACK					64				64	63			60	59	58		56	55	54	53				
										52	51		49		47		45	44	43	42	41				36		34		
						73				32		30		28		26							19	18					



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																			
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION Fp	COLOR OPTION Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS																			
		NUMBER				Fp																			
SALEABLE	NOT APPLICABLE	34566-4893	9	B	ST GRY					68	67			64	63					58			55		
												46	45		43					38			35		
						73				32		30	29	28	27					22			19		17
SALEABLE	NOT APPLICABLE	34566-4913	9	B	ST GRY					68	67			64	63					58	57		55		53
												46	45		43					38	37		35		
						73				32		30	29	28	27					22	21		19		17
SALEABLE	NOT APPLICABLE	34566-4923	9	A	BLACK	72			69		67		65		63			60			57	56			53
									49		47			44	43			40			37	36	35		33
						73					31	30	29	28				24			21	20			17
SALEABLE	NOT APPLICABLE	34566-4933	0	C	BLUE			70		68	67	66			63	62			59		57			53	
						52	51			48	47	46		44				40	39		37	36	35	34	33
						73				32		30			27	26	25	24		22	21				
SALEABLE	NOT APPLICABLE	34566-4943	0	A	BLACK			70	69	68	67				63	62	61	60	59	58	57	56	55	54	53
						52	51	50	49					44	43	42	41		39	38	37	36		34	
						73				32	31		29	28	27	26	25		23				19	18	
SALEABLE	NOT APPLICABLE	34566-4953	0	B	ST GRY			70	69	68	67	66	65	64	63				59						53
						52	51	50	49	48	47	46	45	44	43				39					34	33
						73				32	31	30	29	28	27	26	25	24	23				19	18	17
SALEABLE	NOT APPLICABLE	34566-4963	9	A	BLACK				69		67	66	65		63			60			57	56			53
									49		47	46		44	43	42		40			37	36	35		33
						73					31	30	29	28	27	26		24			21	20			17
SALEABLE	NOT APPLICABLE	34566-4973	9	B	ST GRY					68	67			64	63				59	58				54	
												46	45	44	43				39	38					
						73				32		30	29	28	27				23	22					17
SALEABLE	NOT APPLICABLE	34566-4983	0	B	ST GRY			70		68		66						60	59				55	54	53
						52		50		48		46		44				40	39				35	34	33
						73				32	31	30	29	28	27	26	25	24	23				19	18	17
SALEABLE	NOT APPLICABLE	34566-4993	0	A	BLACK	72	71	70	69		67			64	63			60	59			56	55	54	53
						52	51		49		47		45	44	43	42	41					36		34	
						73				32		30		28		26							19	18	
SALEABLE	NOT APPLICABLE	34566-5013	9	B	ST GRY					68	67			64	63				59	58			55	54	
												46	45	44	43				39	38			35		
						73				32		30	29	28	27				23	22			19		17
SALEABLE	NOT APPLICABLE	34566-5023	0	C	BLUE														6						
						73				32		30				26	25	24		22	21	20			
SALEABLE	NOT APPLICABLE	34566-5033	0	A	BLACK			70	69						63	62	61	60		58	57	56	55	54	53
						52	51		49					44	43	42	41				37	36	35	34	33
						73				32			29	28	27	26	25						19	18	
SALEABLE	NOT APPLICABLE	34566-5043	0	A	BLACK																				
						73					31														
SALEABLE	NOT APPLICABLE	34566-5053	0	B	ST GRY																				
											47														
						73					31											20			17
																							1		





MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																							
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS ▽ Fp																							
		NUMBER																											
SALEABLE	NOT APPLICABLE	34566-8863	0	B	ST GRY	72	71	70	69					64	63		61				58	57	56	55					
						52	51	50	49						43						38	37	36				33		
						73					32		30	29	28		26	25	24	23	22	21	20						
SALEABLE	NOT APPLICABLE	34566-8873	0	B	ST GRY					16		14	13	12	11	10	9	8	7	6	5	4							
						72	71	70	69					64	63		61				58	57	56	55					
						52	51	50	49						43						38	37	36			33			
SALEABLE	NOT APPLICABLE	34566-8883	0	B	ST GRY	73				32	31	30	29	28		26	25	24	23	22	21	20							
										16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1				
						72	71	70	69	68	67	66	65	64	63		61	60	59	58	57	56	55						
SALEABLE	NOT APPLICABLE	34566-8893	0	A	BLACK	52	51	50	49	48	47	46	45	44	43		41	40	39	38	37	36	35	34	33				
						73				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17				
										16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1				
SALEABLE	NOT APPLICABLE	34566-8893	0	A	BLACK	72			70					67	66	65		63			60	59	58	57	56	55			
						52	51		49	48	47	46	45		43	42		40	39	38	37	36	35						
						73								28	27				23	22	21			18	17				
SALEABLE	NOT APPLICABLE	34566-8913	0	A	BLACK									12	11		9		7					2	1				
						72	71	70	69	68			66	65	64	63		60			57	56			54				
						52	51	50	49	48		46	45	44	43	42	41	40	39	38	37	36		34					
SALEABLE	NOT APPLICABLE	34566-8913	0	A	BLACK	73				32	31	30	29	28					23	22	21								
											15	14	13	12					7	6	5			2	1				
										68	67				64	63	62	61	60	59		57	56	55	54	53			
SALEABLE	NOT APPLICABLE	34566-8923	0	A	BLACK	52	51	50	49			46	45	44	43	42	41	40	39	38	37	36		34					
						73				32			29																



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																					
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS																					
		NUMBER				▽ Fp																					
SALEABLE	NOT APPLICABLE	34566-9013	0	A	BLACK				69	68			65	64	63	62	61	60									
									49	48			45	44	43	42	41	40		38					34		
						73											25	24	23	22		20	19				
SALEABLE	NOT APPLICABLE	34566-9023	0	B	ST GRY											62			59								
																42	41		39	38							
						73				31				27				23	22		20		18	17			
SALEABLE	NOT APPLICABLE	34822-0323	9	A	BLACK			62	61	60	59	58	57	56	55			52		50	66						
						48	47	46	45	44	43	42	41	40	39			36		34							
						65			32	31	30	29		27	26	25		23		21							
SALEABLE	NOT APPLICABLE	34566-9033	0	C	BLUE	72		70			67							60	59	58	57	56	55				
						52	51	50	49		47	46	45	44					39	38				34			
						73				31	30	29	28		26	25	24	23	22	21				17			
SALEABLE	NOT APPLICABLE	34566-9043	0	C	BLUE						16	15	14	13	12			9	8	7	6	5					
						72	71	70	69		67	66	65	64										54			
						52	51	50	49		47	46	45	44					39	38							
SALEABLE	NOT APPLICABLE	34566-9053	0	C	BLUE						16	15	14	13	12			9	8	7	6	5					
						72	71	70	69	68		66	65	64			61	60			57	56		54	53		
						52	51	50	49	48		46	45	44	43	42		40	39	38	37	36		34	33		
SALEABLE	NOT APPLICABLE	34566-9063	0	B	ST GRY							31	30	29	28					23	22	21	20				
						73				15	14	13	12					7	6	5	4		2				
						72				68						62	61	60	59				55				
SALEABLE	NOT APPLICABLE	34566-9073	0	B	ST GRY	52							46		44	43		41	40								
						73													22	21	20	19	18	17			
										16	15	14						8		6		4					
SALEABLE	NOT APPLICABLE	34566-9093	0	A	BLACK	72	71																				



MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET

STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																				
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION ▽ Fp	COLOR OPTION ▽ Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS																				
		NUMBER				▽ Fp																				
SALEABLE	NOT APPLICABLE	34566-9143	9	F	NATURAL	72	71	70			67	66	65	64	63	62	61	60	59			56	55	54	53	
						52	51	50	49	48	47	46	45	44			41	40	39			36	35	34		
						73					32	31		29	28	27	26	25	24	23	22	21	20			
SALEABLE	NOT APPLICABLE	34566-9153	9	B	ST GRY							66				62				58	5	4				
																41			38	37						
						73																20	19	18	17	
SALEABLE	NOT APPLICABLE	34566-9163	9	B	ST GRY					68	67	66	65			62		60	59					54	53	
										48	47	46	45	44		42	41	40	39				35	34		
						73					31				27							19	18	17		
SALEABLE	NOT APPLICABLE	34566-9173	0	B	ST GRY								65			62				58				3	2	1
																41			38	37						
						73																	19	18	17	
SALEABLE	NOT APPLICABLE	34822-0363	9	C	BLUE				61				58							5						
										44	43		41	40		38						66				
						65					31										20					
SALEABLE	NOT APPLICABLE	34822-0373	9	A	BLACK	64	63	62	61	60					55			52	51		49		66			
						48	47	46	45							38										
						65				32		30	29		27					22	21	20	19	18	17	
SALEABLE	NOT APPLICABLE	34822-0383	9	A	BLACK					60			57				52	51		49		66				
						48	47	46	45				40													
						65				32		30	29		27					22	21	20	19	18	17	
SALEABLE	NOT APPLICABLE	34822-0393	0	A	BLACK					60			57				52	51		49		66				
						48	47	46	45						38											
						65				32		30	29		27					22	21	20	19	18	17	
SALEABLE	NOT APPLICABLE	34822-0403	9	A	BLACK											54	53		51		49		66			
																38	37		35		33					
						65					31			28						22		20	19	18	17	
SALEABLE	NOT APPLICABLE	34822-0413	0	A	BLACK											54	53		51		49		66			
																38	37		35		33					
						65					15	14	13	12	11				8	7			4	3	2	1
SALEABLE	NOT APPLICABLE	34822-0423	9	A	BLACK						59	58	57	56		54	53			50		66				
										44	43	42	41	40	39		37	36	35	34	33					
						65					31			28			26	25	24	23						
SALEABLE	NOT APPLICABLE	34566-9183	9	B	ST GRY					69	68									58	57					
																				38	37				33	
						73							30										19	18	17	
SALEABLE	NOT APPLICABLE	34822-0433	0	A	BLACK						59		57	56	55	54	53	52	51	50	49	66				
						48	47	46	45			42		39			37	36	35	34	33					
						65				32		30	29	28	27	26	25	24	23	22	21	20	19	18	17	
SALEABLE	NOT APPLICABLE	34822-0443	0	A	BLACK					60	59		57	56	55	54	53	52	51	50	49	66				
						48	47	46	45			42		39			37	36	35	34	33					
						65				32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	





MX123 52/66/73/80-WAY RECEPTACLE ASSY SEALED PIN OUT SHEET


STATUS	GM PART #	HRNS CONN ASSY			TPA	GROMMET CAP																				
		MATERIAL/PART	WIRE DRESS OPTION	KEY OPTION Fp	COLOR OPTION Fp	NUMBERS INDICATE CAVITIES OPEN FOR CIRCUITS																				
		NUMBER				Fp																				
SALEABLE	NOT APPLICABLE	34566-9323	9	A	BLACK	72								64		62	61		59	58	57	56	55	54	53	
						52	51				48		46	45		43		41	40			37		35	34	
						73					32		30	29		27		25				20				
										16	15		13		11	10	9					4	3			
SALEABLE	NOT APPLICABLE	34566-9333	9	A	BLACK	72								64		62	61		59	58	57	56	55	54		
						52	51				48		46	45		43		41	40			37		35	34	
						73					32		30	29		27		25				20				
										16	15		13		11	10	9					4				
SALEABLE	NOT APPLICABLE	34566-9343	9	C	BLUE	72			70	69	68		66			63	62				58		56	55		53
										49			46			43	42		40		38		36	35		

80 CKT
WIRE DRESS OPTION 0


HOUSING ONLY, SHOWN FOR CLARITY




KEY G




KEY H




KEY J



KEY K





KEY L




KEY M


WIRE DRESS OPTION 9




KEY G




KEY H




KEY J



KEY K



KEY L





KEY M

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					
		DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 605052 DRWN: HKLIANG 2018/09/27 CHK'D: JDENG02 2018/10/10 APPR: JDENG02 2018/10/10 INITIAL REVISION: DRWN: TYE 2016/05/06 APPR: SKRAJENDRANA 2016/08/22						molex											
		MM										MX123 66/73/80CKT HRNS CONN ASSY											
		GENERAL TOLERANCES (UNLESS SPECIFIED)																					
		ANGULAR TOL		± °																			
		4 PLACES		±																			
		3 PLACES		±		PRODUCT CUSTOMER DRAWING																	
		2 PLACES		±		DOCUMENT NUMBER						DOC TYPE		DOC PART		REVISION							
		1 PLACE		±		SD-34566-001						PSD		000		G63							
		0 PLACES		±																			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER							
								D-SIZE		34566		SEE TABLE		GENERAL MARKET		2 OF 8							


66 CKT

WIRE DRESS OPTION 0

HOUSING ONLY, SHOWN FOR CLARITY





KEY A




KEY C

WIRE DRESS OPTION 9



KEY A




KEY C


SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
	= 0	MM		SCALE 2:1		CURRENT REV DESC: EC NO: 605052 DRWN: HKLIANG 2018/09/27 CHK'D: JDENG02 2018/10/10 APPR: JDENG02 2018/10/10 INITIAL REVISION: DRWN: TYE 2016/05/06 APPR: SKRAJENDRANA 2016/08/22				molex									
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)																	
	= 0									ANGULAR TOL ± °									
	= 0	4 PLACES		±															
	= 0	3 PLACES		±		PRODUCT CUSTOMER DRAWING				DOCUMENT NUMBER SD-34566-001		DOC TYPE PSD	DOC PART 000	REVISION G63					
	= 0	2 PLACES		±															
	= 0	1 PLACE		±		THIRD ANGLE PROJECTION 				DRAWING D-SIZE		SERIES 34566		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 8	
	= 0	0 PLACES		±															

DOCUMENT STATUS	P1	RELEASE DATE	2018/10/10	03:26:09
-----------------	----	--------------	------------	----------


HRNS ASSY
COMPONENT LIST



DRESS COVER
MATERIAL #: SEE HRNS ASSY TABLE




HRNS CONN. ASSY
MATERIAL #: SEE HRNS ASSY TABLE



GROMMET CAP
WITHOUT LATCHES
MATERIAL #: SEE HRNS ASSY TABLE

LATCHES
NEED TO BE BROKEN OFF



RUBBER BAND
DESCRIPTION: #84 3.5" X 0.5"

SUGGESTED SOURCE:
MANUFACTURER: ALLIANCE
PART #: 987-370
VENDOR: OFFICE DEPOT
VENDOR #: 109099




TY-RAP
DESCRIPTION: SIZE TY25 CABLE TIE

SUGGESTED SOURCE:
MANUFACTURER: THOMAS & BETTS
PART #: TY25M
VENDOR: CRESENT ELEC
VENDOR #: 104144


HRNS ASSY



MX64 WIRE ASSY LOOPED
MATERIAL #: SEE HRNS ASSY TABLE



MX64 WIRE ASSY PIGTAIL
MATERIAL #: SEE HRNS ASSY TABLE




2.8mm YESC SEALED FEMALE PIGTAIL ASSY
MATERIAL #: SEE HRNS ASSY TABLE

AWG WIRE HRNS ASSY TABLE


TESTED	HRNS ASSY				HRNS CONN ASSY	DRESS COVER	GROMMET CAP	MX64 WIRE ASSY PER E-33468-001							2.8mm YESC SEALED FEMALE TERMINAL TIN						TY-RAP	RUBBER BAND
	MATERIAL #	CIRCUIT ID	KEY OPTION	WIRE DRESS OPTION				MATERIAL #	RCPT PLATING	SAE WIRE SIZE #	WIRE TYPE	PIGTAIL OR LOOPED	"LMX" IN METERS 10%	QTY	MATERIAL #	SAE WIRE SIZE #	WIRE TYPE	PIGTAIL OR LOOPED	"LMX" IN METERS 10%	QTY	QTY	QTY
NO	34070-9234	80	H	0	34566-0803	34565-0003	34571-0301	334670203	Ag	18	TXL	PGTL	3	80	N/A	N/A	N/A	N/A	N/A	N/A	6	0
NO	34070-9934	73	A	0	34566-0103	34565-0003	34571-0101	334670203	Ag	18	TXL	PGTL	3	72	343670005	14	TXL	PGTL	3	1	6	0
NO	34070-9834	73	B	0	34566-0203	34565-0003	34571-0101	334670203	Ag	18	TXL	PGTL	3	72	343670005	14	TXL	PGTL	3	1	6	0
(H30) NO	34330-9214	80	H	0	34566-0803	34565-0003	N/A	334670204	Ag	18	TXL	LPD	1	40	N/A	N/A	N/A	N/A	N/A	N/A	3	1
NO	34330-9914	73	A	0	34566-0103	34565-0003	N/A	334670204	Ag	18	TXL	LPD	1	36	343670005	14	TXL	LPD	3	1	3	1
NO	34330-9814	73	B	0	34566-0203	34565-0003	N/A	334670204	Ag	18	TXL	LPD	1	36	343670005	14	TXL	LPD	3	1	3	1
(H30) NO	34333-9214	80	H	0	34566-0803	34565-0003	34571-0301	334670205	Ag	18	PTFE	PGTL	1	40	N/A	N/A	N/A	N/A	N/A	N/A	3	0
NO	34333-9914	73	A	0	34566-0103	34565-0003	34571-0101	334670205	Ag	18	PTFE	PGTL	1	72	N/A	14	PTFE	PGTL	1	1	3	0
NO																						

	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1				
M																				M			
L	AWG WIRE HRNS ASSY TABLE																						
																				L			
K	TESTED	HRNS ASSY				HRNS CONN ASSY	DRESS COVER	GROMMET CAP	MX64 WIRE ASSY PER E-33468-001							2.8mm YESC SEALED FEMALE TERMINAL TIN						TY-RAP	RUBBER BAND
		MATERIAL #	CIRCUIT ID	KEY OPTION	WIRE DRESS OPTION				MATERIAL #	RCPT PLATING	SAE WIRE SIZE #	WIRE TYPE	PIGTAIL OR LOOPED	"LMX" IN METERS 10%	QTY	MATERIAL #	SAE WIRE SIZE #	WIRE TYPE	PIGTAIL OR LOOPED	"LMX" IN METERS 10%	QTY	QTY	QTY
J	NO	34070-9933	73	A	0	34566-0103	34565-0003	34571-0101	334670103	Au	18	TXL	PGTL	3	72	343670005	14	TXL	PGTL	3	1	6	0
	NO	34070-9833	73	B	0	34566-0203	34565-0003	34571-0101	334670103	Au	18	TXL	PGTL	3	72	343670005	14	TXL	PGTL	3	1	6	0
H	NO	34070-9913	73	A	0	34566-0103	34565-0003	34571-0101	334670102	Au	18	TXL	PGTL	1	72	343670005	14	TXL	PGTL	3	1	3	0
	NO	34070-9813	73	B	0	34566-0203	34565-0003	34571-0101	334670102	Au	18	TXL	PGTL	1	72	343670005	14	TXL	PGTL	3	1	3	0
G	NO	34333-9913	73	A	0	34566-0103	34565-0003	34571-0101	334670105	Au	18	PTFE	PGTL	1	72	N/A	14	PTFE	PGTL	1	1	3	0
	NO	34333-9813	73	B	0	34566-0203	34565-0003	34571-0101	334670105	Au	18	PTFE	PGTL	1	72	N/A	14	PTFE	PGTL	1	1	3	0
F	NO	34333-9933	73	A	0	34566-0103	34565-0003	34571-0101	334670106	Au	18	PTFE	PGTL	3	72	343670006	14	PTFE	PGTL	3	1	6	0
	NO	34333-9833	73	B	0	34566-0203	34565-0003	34571-0101	334670106	Au	18	PTFE	PGTL	3	72	343670006	14	PTFE	PGTL	3	1	6	0
E	NO	34070-9233	80	H	0	34566-0803	34565-0003	34571-0301	334670103	Au	18	TXL	PGTL	3	80	N/A	N/A	N/A	N/A	N/A	N/A	6	0
	NO	34070-9213	80	H	0	34566-0803	34565-0003	34571-0301	334670102	Au	18	TXL	PGTL	1	80	N/A	N/A	N/A	N/A	N/A	N/A	3	0
D	NO	34333-9213	80	H	0																		


HRNS ASSY
COMPONENT LIST



DRESS COVER
MATERIAL #: SEE HRNS ASSY TABLE




HRNS CONN. ASSY
MATERIAL #: SEE HRNS ASSY TABLE



GROMMET CAP
WITHOUT LATCHES
MATERIAL #: SEE HRNS ASSY TABLE



LATCHES
NEED TO BE BROKEN OFF



RUBBER BAND
DESCRIPTION: #84 3.5" X 0.5"

SUGGESTED SOURCE:
MANUFACTURER: ALLIANCE
PART #: 987-370
VENDOR: OFFICE DEPOT
VENDOR #: 109099




TY-RAP
DESCRIPTION: SIZE TY25 CABLE TIE

SUGGESTED SOURCE:
MANUFACTURER: THOMAS & BETTS
PART #: TY25M
VENDOR: CRESENT ELEC
VENDOR #: 104144


HRNS ASSY



MX64 WIRE ASSY LOOPED
MATERIAL #: SEE HRNS ASSY TABLE



MX64 WIRE ASSY PIGTAIL
MATERIAL #: SEE HRNS ASSY TABLE



2.8mm YESC SEALED FEMALE PIGTAIL ASSY
MATERIAL #: SEE HRNS ASSY TABLE

ISO WIRE HRNS ASSY TABLE

TESTED	HRNS ASSY				HRNS CONN ASSY	DRESS COVER	GROMMET CAP	MX64 WIRE ASSY PER E-33468-001							2.8mm YESC SEALED FEMALE TERMINAL TIN						TY-RAP	RUBBER BAND
	MATERIAL #	CIRCUIT ID	KEY OPTION	WIRE DRESS OPTION				MATERIAL #	RCPT PLATING	WIRE SIZE mm²	WIRE TYPE	PIGTAIL OR LOOPED	"LMX" IN METERS 10%	QTY	MATERIAL #	WIRE SIZE # mm²	WIRE TYPE	PIGTAIL OR LOOPED	"LMX" IN METERS 10%	QTY		
NO	2047789931	73	A	0	34566-0103	34565-0003	34571-0101	2047801003	Ag	0.35	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789831	73	B	0	34566-0203	34565-0003	34571-0101	2047801003	Ag	0.35	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789731	73	C	0	34566-0303	34565-0003	34571-0101	2047801003	Ag	0.35	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789431	73	F	0	34566-0603	34565-0003	34571-0101	2047801003	Ag	0.35	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789932	73	A	0	34566-0103	34565-0003	34571-0101	2047802003	Ag	0.50	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789832	73	B	0	34566-0203	34565-0003	34571-0101	2047802003	Ag	0.50	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789732	73	C	0	34566-0303	34565-0003	34571-0101	2047802003	Ag	0.50	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789432	73	F	0	34566-0603	34565-0003	34571-0101	2047802003	Ag	0.50	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789933	73	A	0	34566-0103	34565-0003	34571-0101	2047803003	Ag	0.75	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789833	73	B	0	34566-0203	34565-0003	34571-0101	2047803003	Ag	0.75	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789733	73	C	0	34566-0303	34565-0003	34571-0101	2047803003	Ag	0.75	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047789433	73	F	0	34566-0603	34565-0003	34571-0101	2047803003	Ag	0.75	ISO	PGTL	3	72	2047811003	2	ISO	PGTL	3	1	6	0
NO	2047799911	73	A	0	34566-0103	34565-0003	34571-0101	2047801101	Ag	0.35	ISO	LPD	1	72	2047811101	2	ISO	LPD	1	1	3	0
NO	2047799811	73																				

