

840/4 Z bits, 7/32" x 89 mm

Bits for Hexagon Socket Screws



|                        |                  |                               |           |
|------------------------|------------------|-------------------------------|-----------|
| <b>EAN:</b>            | 4013288155542    | <b>Size:</b>                  | 89x7x6 mm |
| <b>Part number:</b>    | 05059667001      | <b>Weight:</b>                | 22 g      |
| <b>Article number:</b> | 840/4 Z Hex-Plus | <b>Country of origin:</b>     | CZ        |
|                        |                  | <b>Customs tariff number:</b> | 82079030  |

- For socket head screws
- Ductile and tough for hard materials
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.

Tough viscous Wera bits for hexagon socket screws for universal use. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05059667001 - 4013288155542

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Hex-Plus

## Tough-absorbing bits



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

|             |  |  |  |  |  |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             | mm                                                                                  | inch                                                                                | mm                                                                                  | inch                                                                                  | mm                                                                                    |
| 05160885001 | 0.9                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 2.6                                                                                   |
| 05059602001 | 1.5                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 2.0                                                                                   |
| 05059603001 | 2.0                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 4.0                                                                                   |
| 05059628001 | 2.0                                                                                 |                                                                                     | 89                                                                                  | 3 1/2                                                                                 | 4.0                                                                                   |
| 05059604001 | 2.5                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 4.0                                                                                   |
| 05059629001 | 2.5                                                                                 |                                                                                     | 89                                                                                  | 3 1/2                                                                                 | 4.0                                                                                   |
| 05059605001 | 3.0                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 4.0                                                                                   |
| 05059630001 | 3.0                                                                                 |                                                                                     | 89                                                                                  | 3 1/2                                                                                 | 4.0                                                                                   |
| 05380033001 | 3.0                                                                                 |                                                                                     | 152                                                                                 | 6                                                                                     | 4.0                                                                                   |
| 05059610001 | 4.0                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 5.0                                                                                   |
| 05059631001 | 4.0                                                                                 |                                                                                     | 89                                                                                  | 3 1/2                                                                                 | 5.0                                                                                   |
| 05059634001 | 4.0                                                                                 |                                                                                     | 152                                                                                 | 6                                                                                     | 5.0                                                                                   |
| 05059615001 | 5.0                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 6.0                                                                                   |
| 05059632001 | 5.0                                                                                 |                                                                                     | 89                                                                                  | 3 1/2                                                                                 | 6.0                                                                                   |
| 05059635001 | 5.0                                                                                 |                                                                                     | 152                                                                                 | 6                                                                                     | 6.0                                                                                   |
| 05059620001 | 6.0                                                                                 |                                                                                     | 50                                                                                  | 2                                                                                     | 5.0                                                                                   |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
 05059667001 - 4013288155542

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Hexagon Socket Screws

|                    |              |           |              |          |
|--------------------|--------------|-----------|--------------|----------|
| 05059633001        | 6.0          | 89        | 3 1/2        | -        |
| 05059636001        | 6.0          | 152       | 6            | -        |
| 05059625001        | 8.0          | 50        | 2            | -        |
| 05059637001        | 8.0          | 89        | 3 1/2        | -        |
| 05350430001        | 0.05         | 50        | 2            | 2.5      |
| 05135090001        | 1/16"        | 50        | 2            | 2.5      |
| 05135091001        | 5/64"        | 50        | 2            | 3.0      |
| 05059660001        | 5/64"        | 89        | 3 1/2        | 3.0      |
| 05135092001        | 3/32"        | 50        | 2            | 3.0      |
| 05059661001        | 3/32"        | 89        | 3 1/2        | 3.5      |
| 05135093001        | 7/64"        | 50        | 2            | 3.5      |
| 05059662001        | 7/64"        | 89        | 3 1/2        | 4.0      |
| 05135094001        | 1/8"         | 50        | 2            | 4.0      |
| 05059663001        | 1/8"         | 89        | 3 1/2        | 4.0      |
| 05380045001        | 1/8"         | 152       | 6            | 4.0      |
| 05135095001        | 9/64"        | 50        | 2            | 4.5      |
| 05059664001        | 9/64"        | 89        | 3 1/2        | 4.5      |
| 05380046001        | 9/64"        | 152       | 6            | 4.5      |
| 05135096001        | 5/32"        | 50        | 2            | 5.0      |
| 05059665001        | 5/32"        | 89        | 3 1/2        | 5.0      |
| 05380047001        | 5/32"        | 152       | 6            | 5.0      |
| 05135097001        | 3/16"        | 50        | 2            | 6.0      |
| 05059666001        | 3/16"        | 89        | 3 1/2        | 6.0      |
| 05380048001        | 3/16"        | 152       | 6            | 6.0      |
| 05135098001        | 7/32"        | 50        | 2            | -        |
| <b>05059667001</b> | <b>7/32"</b> | <b>89</b> | <b>3 1/2</b> | <b>-</b> |
| 05380049001        | 7/32"        | 152       | 6            | -        |
| 05135099001        | 1/4"         | 50        | 2            | -        |
| 05059668001        | 1/4"         | 89        | 3 1/2        | -        |
| 05380050001        | 1/4"         | 152       | 6            | -        |
| 05346288001        | 5/16         | 50        | 2            | -        |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05059667001 - 4013288155542

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)