

PRODUCT-DETAILS

TY100-18X39-100

TY-FAST 104X2.4MM HEAT STAB.



General Information

Extended Product Type	TY100-18X39-100
Product ID	7TCG054360R0367
EAN	5415022161489
Catalog Description	TY-FAST 104X2.4MM HEAT STAB.
Long Description	Cable Tie, Heat Stabilized Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 111.76mm (4.4 Inches), Width of 2.413mm (0.095 Inches), Thickness of 1.12mm (0.044 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), 100 Pack

Ordering

EAN	5415022161489
UPC	786209624864
Country of Origin	Hungary (HU)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

Dimensions

Product Net Width	0.095 in 2.413 mm
Product Net Depth / Length	4.4 in 111.76 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	7 in 178 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	11 in 279 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	15 in 381 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Catamount
Bundle Diameter	1 in 25.4 mm
Color	Black
Effective Date	20130417
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Heat Stabilized
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.044 in 1.12 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY100-18X39-100
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY100-18X39-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

