NSYDLM48P

Modular chassis DLM type for SPACIAL WM enclosure, 48 modules, H600xW400mm.

Green Premium™ Product

Main

Range	Spacial
Accessory / separate part category	Mounting accessory
Device application	Modular distribution application Multi-purpose
Product or component type	Chassis
Device short name	DLM
Enclosure nominal dimensions	-
Mounting location	Front of enclosure Step slide
Range compatibility	Spacial (Spacial S3D) Spacial (Spacial S3X) Spacial (Spacial CRN)
Device composition	1 chassis structure 2 finish cover 1 neutral/earth strip 2 x 16 mm² 5 x 6 mm² 3 front panels with 35 mm DIN rail
Quantity per set	Set of 1

Complementary

Material	Steel
Colour	Front panel: grey (RAL 7035)
Surface finish	Polyester powder
Fixing mode	By fixing element - on front and back with supports location
Adjustment	In height from 40 to 85 mm for DIN rail
Number of horizontal rows	3
Total number of 18 mm modules	48
Type of front plate	Plain and cut-out plates
Number of cut-out	3 cut-outs
Height	553 Mm
Width	355 Mm
Depth	101.5 Mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.000 Cm
Package 1 Width	36.000 Cm
Package 1 Length	57.500 Cm
Package 1 Weight	4.511 Kg
Unit Type of Package 2	S04
Number of Units in Package 2	2
Package 2 Height	30.000 Cm
Package 2 Width	40.000 Cm
Package 2 Length	60.000 Cm
Package 2 Weight	9.672 Kg
Unit Type of Package 3	P12
Number of Units in Package 3	8
Package 3 Height	45.000 Cm
Package 3 Width	80.000 Cm
Package 3 Length	120.000 Cm
Package 3 Weight	50.688 Kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months

Product Life Status :	Commercialised

Schneider Electric