

FEATURES & BENEFITS

- ✓ ring cable lug Cu, as per DIN - low-cost and popular solution
- ✓ description of cable cross-section and cable lug size on palm surface
- ✓ soldered seam of the tubular part

MECHANICAL DATA


Material	Cu
Surface	tin-plated

CERTIFICATES & STANDARDS

UL certificate	E475284 (according to table in the technical data sheet)
Design	DIN 46234
Świadectwo uznania typu PRS	TE/1137/880567/25

NOTE!

UL certificate - for up-to-date information, visit www.ergom.com



Type	Index Ergom	Cross-section [mm²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]
KO 0,5/2 (100 PCS)	E09KO-01010100101	0,2+0,5	M 2	✓	-	1,0	2,0	0,5	4	10	5	100	0,02
KO 0,5/2,5 (100 PCS)	E09KO-01010100201		M 2,5										
KO 0,5/3 (100 PCS)	E09KO-01010100301		M 3									25	0,01
KO 0,5/3 (25 PCS)	E09KO-01010100303		M 3,5										
KO 0,5/3,5 (100 PCS)	E09KO-01010100401		M 4							12	6	100	0,03
KO 0,5/4 (100 PCS)	E09KO-01010100501		M 5								6,5		
KO 0,5/5 (25 PCS)	E09KO-01010100603	0,75+1	M 2,5	✓	✓	1,6	3,2	0,8	5	11	6	25	0,01
KO 1/2,5 (100 PCS)	E09KO-01010100700		M 3									100	0,06
KO 1/3 (100 PCS)	E09KO-01010100800		M 3,5										
KO 1/3 (25 PCS)	E09KO-01010100802		M 4									25	0,02
KO 1/3,5 (100 PCS)	E09KO-01010100900		M 5										
KO 1/3,5 (25 PCS)	E09KO-01010100902		M 6									100	0,06
KO 1/4 (100 PCS)	E09KO-01010101000		M 8							12	8	25	0,02
KO 1/4 (25 PCS)	E09KO-01010101002		M 10									100	0,07
KO 1/5 (100 PCS)	E09KO-01010101100		M 2							13	10	25	0,02
KO 1/5 (25 PCS)	E09KO-01010101102		M 3									100	0,07
KO 1/6 (100 PCS)	E09KO-01010101200		M 4							17	14	25	0,03
KO 1/6 (25 PCS)	E09KO-01010101202		M 5									100	0,12
KO 1/8 (100 PCS)	E09KO-01010101300		M 6									25	0,03
KO 1/8 (25 PCS)	E09KO-01010101302		M 8									100	0,1
KO 1/10 (100 PCS)	E09KO-01010101400		M 10									25	0,03
KO 1/10 (25 PCS)	E09KO-01010101402												

Type	Index Ergom	Cross-section [mm²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]									
KO 2,5/3 (100 PCS)	E09KO-01010101500	1,5+2,5	M 3	√	√	2,3	3,9	0,8	5	11	6	100	0,06									
KO 2,5/3 (25 PCS)	E09KO-01010101502		M 3,5									25	0,02									
KO 2,5/3,5 (100 PCS)	E09KO-01010101600											M 4	100	0,06								
KO 2,5/3,5 (25 PCS)	E09KO-01010101602												25	0,02								
KO 2,5/4 (100 PCS)	E09KO-01010101700									M 5	100	0,08										
KO 2,5/4 (25 PCS)	E09KO-01010101702		25								0,02											
KO 2,5/5 (100 PCS)	E09KO-01010101800		M 6							100	0,09											
KO 2,5/5 (25 PCS)	E09KO-01010101802									25	0,03											
KO 2,5/6 (100 PCS)	E09KO-01010101900									M 8	100	0,11										
KO 2,5/6 (25 PCS)	E09KO-01010101902										25	0,03										
KO 2,5/8 (100 PCS)	E09KO-01010102000		M 10							100	0,13											
KO 2,5/8 (25 PCS)	E09KO-01010102002									25	0,04											
KO 2,5/10 (100 PCS)	E09KO-01010102100									M 12	100	0,17										
KO 2,5/10 (25 PCS)	E09KO-01010102102										25	0,05										
KO 2,5/12 (100 PCS)	E09KO-01010102200		M 16							100	0,14											
KO 2,5/12 (25 PCS)	E09KO-01010102202									25	0,05											
KO 2,5/16 (100 PCS)	E09KO-01010102301	M 3,5		100	0,3																	
KO 2,5/16 (25 PCS)	E09KO-01010102303			25	0,08																	
KO 6/3,5 (100 PCS)	E09KO-01010102400	4+6	M 3,5	–	√	3,6	5,6	1,0	6	14	8	100	0,14									
KO 6/3,5 (25 PCS)	E09KO-01010102402											25	0,04									
KO 6/4 (100 PCS)	E09KO-01010102500											M 4	100	0,14								
KO 6/4 (25 PCS)	E09KO-01010102502												25	0,04								
KO 6/5 (100 PCS)	E09KO-01010102600									M 5	100		0,16									
KO 6/5 (25 PCS)	E09KO-01010102602										25		0,04									
KO 6/6 (100 PCS)	E09KO-01010102700									M 6	100	0,17										
KO 6/6 (25 PCS)	E09KO-01010102702										25	0,05										
KO 6/8 (100 PCS)	E09KO-01010102800										M 8	100	0,21									
KO 6/8 (25 PCS)	E09KO-01010102802											25	0,06									
KO 6/10 (100 PCS)	E09KO-01010102900									M 10	100	0,27										
KO 6/10 (25 PCS)	E09KO-01010102902										25	0,07										
KO 6/12 (100 PCS)	E09KO-01010103001										M 12	100	0,23									
KO 6/12 (25 PCS)	E09KO-01010103003											25	0,06									
KO 10/4 (100 PCS)	E09KO-01010103100									10	M 4	–	√	4,5	6,7	1,1	8	16	10	100	0,24	
KO 10/4 (10 PCS)	E09KO-01010103102																			10	0,03	
KO 10/5 (100 PCS)	E09KO-01010103200	M 5	100	0,23																		
KO 10/5 (10 PCS)	E09KO-01010103202		10	0,03																		
KO 10/6 (100 PCS)	E09KO-01010103300	M 6	100	0,23																		
KO 10/6 (10 PCS)	E09KO-01010103302		10	0,03																		
KO 10/8 (100 PCS)	E09KO-01010103400		M 8	100	0,28																	
KO 10/8 (10 PCS)	E09KO-01010103402			10	0,03																	
KO 10/10 (100 PCS)	E09KO-01010103500	M 10	100	0,34																		
KO 10/10 (10 PCS)	E09KO-01010103502		10	0,04																		
KO 10/12 (100 PCS)	E09KO-01010103601		M 12	100	0,42																	
KO 10/12 (10 PCS)	E09KO-01010103603			10	0,05																	
KO 16/5 (100 PCS)	E09KO-01010103700	16	M 5	√	√	5,8	8,2	1,2	10									20	11	100	0,38	
KO 16/5 (10 PCS)	E09KO-01010103702																			10	0,04	
KO 16/6 (100 PCS)	E09KO-01010103800																			M 6	100	0,36
KO 16/6 (10 PCS)	E09KO-01010103802																				10	0,04
KO 16/8 (100 PCS)	E09KO-01010103900									M 8	100	0,42										
KO 16/8 (10 PCS)	E09KO-01010103902										10	0,05										
KO 16/10 (100 PCS)	E09KO-01010104000										M 10	100	0,5									
KO 16/10 (10 PCS)	E09KO-01010104002											10	0,05									
KO 16/12 (100 PCS)	E09KO-01010104101									M 12	100	0,58										
KO 16/12 (10 PCS)	E09KO-01010104103										10	0,06										

Type	Index Ergom	Cross-section [mm²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]
KO 25/5 (100 PCS)	E09KO-01010104200	25	M 5	√	√	7,5	10,5	1,5	11	25	12	100	0,72
KO 25/5 (10 PCS)	E09KO-01010104202											10	0,08
KO 25/6 (100 PCS)	E09KO-01010104300		M 6									100	0,7
KO 25/6 (10 PCS)	E09KO-01010104302											10	0,08
KO 25/8 (100 PCS)	E09KO-01010104400		M 8								16	100	0,77
KO 25/8 (10 PCS)	E09KO-01010104402											10	0,08
KO 25/10 (100 PCS)	E09KO-01010104500		M 10		18					100	0,8		
KO 25/10 (10 PCS)	E09KO-01010104502									10	0,08		
KO 25/12 (100 PCS)	E09KO-01010104601		M 12		22					100	0,98		
KO 25/12 (10 PCS)	E09KO-01010104603									10	0,1		
KO 25/16 (100 PCS)	E09KO-01010104701		M 16		28					100	1,2		
KO 25/16 (10 PCS)	E09KO-01010104703									10	0,1		
KO 35/6 (100 PCS)	E09KO-01010104800	35	M 6	√	√	9,0	12,2	1,6	12	26	15	100	1
KO 35/6 (10 PCS)	E09KO-01010104802										10	0,1	
KO 35/8 (100 PCS)	E09KO-01010104900		M 8								16	100	0,97
KO 35/8 (10 PCS)	E09KO-01010104902											10	0,1
KO 35/10 (100 PCS)	E09KO-01010105000		M 10							18	100	0,98	
KO 35/10 (10 PCS)	E09KO-01010105002										10	0,1	
KO 35/12 (100 PCS)	E09KO-01010105101		M 12		22					100	1,2		
KO 35/12 (10 PCS)	E09KO-01010105103									10	0,1		
KO 35/16 (100 PCS)	E09KO-01010105201		M 16		28					100	1,4		
KO 35/16 (10 PCS)	E09KO-01010105203									10	0,2		
KO 50/6 (100 PCS)	E09KO-01010105400	50	M 6	√	√	11,0	14,6	1,8	16	34	18	100	1,65
KO 50/6 (10 PCS)	E09KO-01010105402										10	0,2	
KO 50/8 (100 PCS)	E09KO-01010105500		M 8								18	100	1,75
KO 50/8 (10 PCS)	E09KO-01010105502											10	0,2
KO 50/10 (100 PCS)	E09KO-01010105600		M 10							22	100	1,63	
KO 50/10 (10 PCS)	E09KO-01010105602										10	0,2	
KO 50/12 (100 PCS)	E09KO-01010105701		M 12		28					100	1,85		
KO 50/12 (10 PCS)	E09KO-01010105703									10	0,2		
KO 50/16 (100 PCS)	E09KO-01010105801		M 16		32					100	2,15		
KO 50/16 (10 PCS)	E09KO-01010105803									10	0,3		
KO 70/6 (100 PCS)	E09KO-01010106000	70	M 6	√	√	13,0	17,0	2,0	18	38	22	100	2,65
KO 70/6 (10 PCS)	E09KO-01010106002										10	0,3	
KO 70/8 (100 PCS)	E09KO-01010106100		M 8								22	100	2,6
KO 70/8 (10 PCS)	E09KO-01010106102											10	0,3
KO 70/10 (100 PCS)	E09KO-01010106200		M 10							28	100	2,55	
KO 70/10 (10 PCS)	E09KO-01010106202										10	0,3	
KO 70/12 (100 PCS)	E09KO-01010106300		M 12		32					100	2,4		
KO 70/12 (10 PCS)	E09KO-01010106302									10	0,3		
KO 70/16 (100 PCS)	E09KO-01010106401		M 16		36					100	2,8		
KO 70/16 (10 PCS)	E09KO-01010106403									10	0,3		
KO 70/20 (10 PCS)	E09KO-01010106503		M 20		40					10	0,3		
KO 95/8 (100 PCS)	E09KO-01010106600	95	M 8	√	√	15,0	20,0	2,5	20	42	24	100	4
KO 95/8 (10 PCS)	E09KO-01010106602											10	0,4
KO 95/10 (100 PCS)	E09KO-01010106700		M 10								24	100	0,41
KO 95/10 (10 PCS)	E09KO-01010106702											10	0,4
KO 95/12 (100 PCS)	E09KO-01010106800		M 12							28	100	3,8	
KO 95/12 (10 PCS)	E09KO-01010106802										10	0,4	
KO 95/16 (100 PCS)	E09KO-01010106901		M 16		32					100	3,9		
KO 95/16 (10 PCS)	E09KO-01010106903									10	0,4		
KO 95/20 (10 PCS)	E09KO-01010107003		M 20		40					10	0,42		
KO 120/8 (50 PCS)	E09KO-01010107101	120	M 8	√	-	16,5	22,5	3,0	22	44	24	50	2,85
KO 120/8 (10 PCS)	E09KO-01010107103											10	0,3
KO 120/10 (50 PCS)	E09KO-01010107201		M 10								24	50	2,8
KO 120/10 (10 PCS)	E09KO-01010107203											10	0,3
KO 120/12 (50 PCS)	E09KO-01010107301		M 12							28	50	2,7	
KO 120/12 (10 PCS)	E09KO-01010107303										10	0,3	
KO 120/16 (50 PCS)	E09KO-01010107401		M 16							32	50	2,9	
KO 120/16 (10 PCS)	E09KO-01010107403										10	0,3	

Type	Index Ergom	Cross-section [mm ²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]
KO 150/10 (50 PCS)	E09KO-01010107601	150	M 10	√	–	19,0	25,4	3,2	24	50	30	50	3,8
KO 150/10 (10 PCS)	E09KO-01010107603		M 10									10	0,4
KO 150/12 (50 PCS)	E09KO-01010107701		M 12									50	3,8
KO 150/12 (10 PCS)	E09KO-01010107703		M 12									10	0,4
KO 150/16 (50 PCS)	E09KO-01010107801		M 16									50	3,76
KO 150/16 (10 PCS)	E09KO-01010107803		M 16									10	0,4
KO 150/20 (10 PCS)	E09KO-01010107903		M 20	–					27	63	36	10	0,4
KO 185/10 (25 PCS)	E09KO-01010108001	185	M 10	√	–	21,0	28,0	3,5	28	50	36	25	2,53
KO 185/10 (10 PCS)	E09KO-01010108003		M 10									10	1,01
KO 185/12 (25 PCS)	E09KO-01010108101		M 12									25	2,53
KO 185/12 (10 PCS)	E09KO-01010108103		M 12									10	1,01
KO 185/16 (25 PCS)	E09KO-01010108201		M 16									25	2,6
KO 185/16 (10 PCS)	E09KO-01010108203		M 16									10	1,04
KO 240/10 (25 PCS)	E09KO-01010108401	240	M 10	√	–	23,5	32,0	4	32	56	38	25	3,7
KO 240/10 (10 PCS)	E09KO-01010108403		M 10									10	1,48
KO 240/12 (25 PCS)	E09KO-01010108501		M 12									25	3,58
KO 240/12 (10 PCS)	E09KO-01010108503		M 12									10	1,43
KO 240/16 (25 PCS)	E09KO-01010108601		M 16									25	3,73
KO 240/16 (10 PCS)	E09KO-01010108603		M 16									10	1,5
KO 240/20 (10 PCS)	E09KO-01010108703		M 20	–						69	44	10	1,54