

Uninsulated cord end terminals, H...ERHN type

FEATURES & BENEFITS



thin-walled cord end terminal Cu, for multi-wire flexible cables



sleeve shapes facilitates cable conductor installation

MECHANICAL DATA

Material	Cu
Surface	tin-plated

CERTIFICATES & STANDARDS

UL certificate	E493579 (according to table in the technical data sheet)
Design	DIN 46228/1 (according to table in the technical data sheet)
Świadectwo uznania typu PRS	TE/1137/880567/25

NOTE!

Other lengths on request.

UL certificate - for up-to-date information, visit www.ergom.com



Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L	d	D	s	DIN	UL	Quantity in package [pcs]	Weight [kg]
H 0,14/7 ERHN (1000 PCS)	E08KH-01010100100	0,14	26	7	0,65	1,6	0,15	–	–	1000	0,03
H 0,14/7 ERHN (100 PCS)	E08KH-01010106900									100	0,01
H 0,25/5 ERHN (1000 PCS)	E08KH-01010100200	0,25	24	5	0,75	1,7	0,15	–	–	1000	0,03
H 0,25/5 ERHN (100 PCS)	E08KH-01010106700									100	0,01
H 0,25/7 ERHN (1000 PCS)	E08KH-01010100300			7						1000	0,03
H 0,25/7 ERHN (100 PCS)	E08KH-01010106800									100	0,01
H 0,34/5 ERHN (1000 PCS)	E08KH-01010100400	0,34	22	5	0,85	1,8	0,15	–	–	1000	0,03
H 0,34/5 ERHN (100 PCS)	E08KH-01010107000									100	0,01
H 0,34/7 ERHN (1000 PCS)	E08KH-01010100500			7						1000	0,04
H 0,34/7 ERHN (100 PCS)	E08KH-01010107100									100	0,01
H 0,5/6 ERHN (1000 PCS)	E08KH-01010100600	0,5	20	6	1,0	2,1	0,15	√	√	1000	0,03
H 0,5/6 ERHN (100 PCS)	E08KH-01010107200							–		100	0,01
H 0,5/8 ERHN (1000 PCS)	E08KH-01010100700			8				–		1000	0,05
H 0,5/8 ERHN (100 PCS)	E08KH-01010107300							–		100	0,01
H 0,5/10 ERHN (1000 PCS)	E08KH-01010100800			10				√		1000	0,06
H 0,5/10 ERHN (100 PCS)	E08KH-01010107400							–		100	0,01
H 0,5/12 ERHN (1000 PCS)	E08KH-01010100900			12				–		1000	0,07
H 0,5/12 ERHN (100 PCS)	E08KH-01010107500							–		100	0,01
H 0,75/6 ERHN (1000 PCS)	E08KH-01010101000			6				√		1000	0,04
H 0,75/6 ERHN (100 PCS)	E08KH-01010107600							–		100	0,01
H 0,75/8 ERHN (1000 PCS)	E08KH-01010101100			8				–		1000	0,04
H 0,75/8 ERHN (100 PCS)	E08KH-01010107700							–		100	0,01
H 0,75/10 ERHN (1000 PCS)	E08KH-01010101200	0,75	18	10	1,2	2,3	0,15	√	–	1000	0,07
H 0,75/10 ERHN (100 PCS)	E08KH-01010107800							–		100	0,01
H 0,75/12 ERHN (1000 PCS)	E08KH-01010101300			12				–		1000	0,07
H 0,75/12 ERHN (100 PCS)	E08KH-01010107900							–		100	0,01
H 0,75/14 ERHN (1000 PCS)	E08KH-01010101320			14				–		1000	0,075
H 0,75/14 ERHN (100 PCS)	E08KH-01010107950							–		100	0,007

Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L	d	D	s	DIN	UL	Quantity in package [pcs]	Weight [kg]
H 1/6 ERHN (1000 PCS)	E08KH-01010101400	1	18	6	1,4	2,5	0,15	✓	✓	1000	0,05
H 1/6 ERHN (100 PCS)	E08KH-0101010108000			8				—		100	0,01
H 1/8 ERHN (1000 PCS)	E08KH-01010101500			10				✓		1000	0,06
H 1/8 ERHN (100 PCS)	E08KH-0101010108100			12				—		100	0,01
H 1/10 ERHN (1000 PCS)	E08KH-01010101600			14				✓		1000	0,07
H 1/10 ERHN (100 PCS)	E08KH-0101010108200			12				—		100	0,01
H 1/12 ERHN (1000 PCS)	E08KH-01010101700			14				—		1000	0,08
H 1/12 ERHN (100 PCS)	E08KH-0101010108300			7				✓		100	0,01
H 1/14 ERHN (1000 PCS)	E08KH-01010101720			8				—		1000	0,09
H 1,5/7 ERHN (1000 PCS)	E08KH-01010101800	1,5	16	10	1,7	2,8	0,15	✓	✓	1000	0,06
H 1,5/7 ERHN (100 PCS)	E08KH-0101010108400			12				—		100	0,01
H 1,5/8 ERHN (1000 PCS)	E08KH-01010101810			14				—		1000	0,07
H 1,5/10 ERHN (1000 PCS)	E08KH-01010101900			15				✓		100	0,09
H 1,5/10 ERHN (100 PCS)	E08KH-0101010108500			18				—		1000	0,01
H 1,5/12 ERHN (1000 PCS)	E08KH-0101010102000			20				✓		1000	0,11
H 1,5/12 ERHN (100 PCS)	E08KH-0101010108600			7				—		100	0,02
H 1,5/14 ERHN (1000 PCS)	E08KH-0101010102090			8				—		1000	0,12
H 1,5/14 ERHN (100 PCS)	E08KH-0101010108620			10				—		100	0,02
H 1,5/15 ERHN (1000 PCS)	E08KH-0101010102100	2,5	14	15	2,2	3,4	0,15	—	✓	1000	0,13
H 1,5/15 ERHN (100 PCS)	E08KH-0101010108700			18				✓		100	0,02
H 1,5/18 ERHN (1000 PCS)	E08KH-0101010102200			20				—		1000	0,15
H 1,5/18 ERHN (100 PCS)	E08KH-0101010108800			7				—		100	0,02
H 1,5/20 ERHN (1000 PCS)	E08KH-0101010102220			8				—		1000	0,16
H 1,5/20 ERHN (100 PCS)	E08KH-0101010108820			10				—		100	0,02
H 2,5/7 ERHN (1000 PCS)	E08KH-0101010102300			12				✓		1000	0,08
H 2,5/7 ERHN (100 PCS)	E08KH-0101010108900			14				—		100	0,01
H 2,5/8 ERHN (1000 PCS)	E08KH-0101010102310			15				—		1000	0,09
H 2,5/8 ERHN (100 PCS)	E08KH-0101010108920			18				—		100	0,01
H 2,5/10 ERHN (1000 PCS)	E08KH-0101010102400	4	12	20	2,8	4,0	0,15	✓	✓	1000	0,11
H 2,5/10 ERHN (100 PCS)	E08KH-0101010109000			7				—		100	0,02
H 2,5/12 ERHN (1000 PCS)	E08KH-0101010102500			8				—		1000	0,13
H 2,5/12 ERHN (100 PCS)	E08KH-0101010109100			10				✓		100	0,02
H 2,5/14 ERHN (1000 PCS)	E08KH-0101010102520			12				—		1000	0,14
H 2,5/14 ERHN (100 PCS)	E08KH-0101010109150			14				—		100	0,02
H 2,5/15 ERHN (1000 PCS)	E08KH-0101010102600			15				—		1000	0,15
H 2,5/15 ERHN (100 PCS)	E08KH-0101010109200			18				—		100	0,02
H 2,5/18 ERHN (1000 PCS)	E08KH-0101010102700			20				✓		1000	0,18
H 2,5/18 ERHN (100 PCS)	E08KH-0101010109300	4	12	6	2,8	4,0	0,15	—	✓	100	0,02
H 2,5/20 ERHN (1000 PCS)	E08KH-0101010102720			9				—		1000	0,19
H 2,5/20 ERHN (100 PCS)	E08KH-0101010109320			12				—		100	0,02
H 4/6 ERHN (1000 PCS)	E08KH-0101010102770			14				—		1000	0,11
H 4/6 ERHN (100 PCS)	E08KH-0101010109370			15				—		100	0,02
H 4/9 ERHN (1000 PCS)	E08KH-0101010102800			16				—		1000	0,18
H 4/9 ERHN (100 PCS)	E08KH-0101010109400			18				✓		100	0,02
H 4/12 ERHN (1000 PCS)	E08KH-0101010102900			20				—		1000	0,21
H 4/12 ERHN (100 PCS)	E08KH-0101010109500			7				—		100	0,03
H 4/14 ERHN (1000 PCS)	E08KH-0101010102990	4	12	8	2,8	4,0	0,15	—	✓	1000	0,22
H 4/14 ERHN (100 PCS)	E08KH-0101010109550			10				—		100	0,03
H 4/15 ERHN (1000 PCS)	E08KH-0101010103000			12				✓		1000	0,25
H 4/15 ERHN (100 PCS)	E08KH-0101010109600			14				—		100	0,03
H 4/16 ERHN (100 PCS)	E08KH-0101010109620			16				—		1000	0,29
H 4/18 ERHN (1000 PCS)	E08KH-0101010103100			18				✓		100	0,03
H 4/18 ERHN (100 PCS)	E08KH-0101010109700			20				—		1000	0,35
H 4/20 ERHN (1000 PCS)	E08KH-0101010103120			6				—		100	0,04
H 4/20 ERHN (100 PCS)	E08KH-0101010109720			9				—		1000	0,04

Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L	d	D	s	DIN	UL	Quantity in package [pcs]	Weight [kg]					
H 6/10 ERHN (1000 PCS)	E08KH-01010103200	6	10	10	3,5	4,7	0,20	√	√	1000	0,23					
H 6/10 ERHN (100 PCS)	E08KH-01010109800			100						0,03						
H 6/12 ERHN (1000 PCS)	E08KH-01010103300			1000						0,27						
H 6/12 ERHN (100 PCS)	E08KH-01010109900			100						0,03						
H 6/15 ERHN (1000 PCS)	E08KH-01010103400			1000						0,33						
H 6/15 ERHN (100 PCS)	E08KH-01010110000			100						0,04						
H 6/18 ERHN (1000 PCS)	E08KH-01010103500			1000				0,4								
H 6/18 ERHN (100 PCS)	E08KH-01010110100			100				0,04								
H 6/20 ERHN (1000 PCS)	E08KH-01010103600			1000				0,44								
H 6/20 ERHN (100 PCS)	E08KH-01010110200			100				0,05								
H 6/21 ERHN (1000 PCS)	E08KH-01010103610			1000				0,45								
H 6/21 ERHN (100 PCS)	E08KH-01010110210			100				0,05								
H 10/12 ERHN (500 PCS)	E08KH-01010103700	10	8	12	4,5	5,8	0,20	√	√	500	0,17					
H 10/12 ERHN (100 PCS)	E08KH-01010110300			100						0,04						
H 10/15 ERHN (500 PCS)	E08KH-01010103800			500						0,21						
H 10/15 ERHN (100 PCS)	E08KH-01010110400			100						0,05						
H 10/18 ERHN (500 PCS)	E08KH-01010103900			500						0,25						
H 10/18 ERHN (100 PCS)	E08KH-01010110500			100						0,05						
H 10/20 ERHN (500 PCS)	E08KH-01010104000			500				0,3								
H 10/20 ERHN (100 PCS)	E08KH-01010110600			100				0,06								
H 10/21 ERHN (500 PCS)	E08KH-01010104010			500				0,31								
H 10/21 ERHN (100 PCS)	E08KH-01010104012			100				0,07								
H 16/12 ERHN (500 PCS)	E08KH-01010104100			16				6	12	5,8	7,5	0,20	√	√	500	0,22
H 16/12 ERHN (100 PCS)	E08KH-01010110700								100						0,05	
H 16/15 ERHN (500 PCS)	E08KH-01010104200	500	0,27													
H 16/15 ERHN (100 PCS)	E08KH-01010110800	100	0,06													
H 16/16 ERHN (100 PCS)	E08KH-01010104250	100	0,052													
H 16/18 ERHN (500 PCS)	E08KH-01010104300	500	0,32													
H 16/18 ERHN (100 PCS)	E08KH-01010110900	100	0,07													
H 16/20 ERHN (500 PCS)	E08KH-01010104400	500	0,37													
H 16/20 ERHN (100 PCS)	E08KH-01010111000	100	0,08													
H 16/21 ERHN (500 PCS)	E08KH-01010104410	500	0,39													
H 16/25 ERHN (500 PCS)	E08KH-01010104440	500	0,43													
H 16/32 ERHN (500 PCS)	E08KH-01010104480	500	0,5													
H 16/32 ERHN (100 PCS)	E08KH-01010111060	100	0,1													
H 25/12 ERHN (500 PCS)	E08KH-01010104502	25	4	12	7,3	9,5	0,20	–	–	500	0,3					
H 25/12 ERHN (100 PCS)	E08KH-01010104500			100				0,06								
H 25/15 ERHN (500 PCS)	E08KH-01010104602			500				0,35								
H 25/15 ERHN (100 PCS)	E08KH-01010104600			100				0,07								
H 25/18 ERHN (500 PCS)	E08KH-01010104702			500				0,45								
H 25/18 ERHN (100 PCS)	E08KH-01010104700			100				0,09								
H 25/20 ERHN (500 PCS)	E08KH-01010104802			500				0,43								
H 25/20 ERHN (100 PCS)	E08KH-01010104800			100				0,09								
H 25/21 ERHN (500 PCS)	E08KH-01010104812			500				0,45								
H 25/21 ERHN (100 PCS)	E08KH-01010104810			100				0,09								
H 25/22 ERHN (500 PCS)	E08KH-01010104902			500				0,48								
H 25/22 ERHN (100 PCS)	E08KH-01010104900			100				0,1								
H 25/23 ERHN (500 PCS)	E08KH-01010104912			500				0,48								
H 25/23 ERHN (100 PCS)	E08KH-01010104910			100				0,1								
H 25/25 ERHN (500 PCS)	E08KH-01010105002			500				0,5								
H 25/25 ERHN (100 PCS)	E08KH-01010105000			100				0,1								
H 25/27 ERHN (100 PCS)	E08KH-01010105020			100				0,11								

Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L	d	D	s	DIN	UL	Quantity in package [pcs]	Weight [kg]						
H 35/12 ERHN (500 PCS)	E08KH-01010105102	35	2	12	8,3	11,0	0,20	–	–	500	0,48						
H 35/12 ERHN (100 PCS)	E08KH-01010105100			–				100		0,09							
H 35/15 ERHN (500 PCS)	E08KH-01010105142			–				500		0,19							
H 35/15 ERHN (100 PCS)	E08KH-01010105140			–				100		0,95							
H 35/18 ERHN (500 PCS)	E08KH-01010105202			18				√	500	0,5							
H 35/18 ERHN (100 PCS)	E08KH-01010105200			√				100	0,1								
H 35/20 ERHN (500 PCS)	E08KH-01010105302			–				500	0,53								
H 35/20 ERHN (100 PCS)	E08KH-01010105300			–				100	0,11								
H 35/21 ERHN (100 PCS)	E08KH-01010105310			–					–	0,12							
H 35/22 ERHN (100 PCS)	E08KH-01010105400			–					√								
H 35/23 ERHN (100 PCS)	E08KH-01010105410			–					–								
H 35/25 ERHN (100 PCS)	E08KH-01010105500			√					√		0,13						
H 35/32 ERHN (100 PCS)	E08KH-01010105540	–	–	0,15													
H 50/18 ERHN (100 PCS)	E08KH-01010105580	50	1	18	10,3	13,0	0,30	√	–	100	0,18						
H 50/20 ERHN (100 PCS)	E08KH-01010105600			20				–	√		0,19						
H 50/22 ERHN (100 PCS)	E08KH-01010105700			22				–	–		0,2						
H 50/25 ERHN (100 PCS)	E08KH-01010105720			25				–	–		0,3						
H 50/30 ERHN (100 PCS)	E08KH-01010105740			30				–	–		0,33						
H 50/32 ERHN (100 PCS)	E08KH-01010105750			32				√	–		0,35						
H 70/25 ERHN (100 PCS)	E08KH-01010105800			70				2/0	25		12,5	15,0	0,40	–	–	100	0,4
H 70/30 ERHN (100 PCS)	E08KH-01010105880								30					–	–		0,41
H 70/32 ERHN (100 PCS)	E08KH-01010105900	32	–		–	0,42											
H 95/25 ERHN (100 PCS)	E08KH-01010105950	95	3/0	25	14,5	17,0	0,40	–	–	100	0,49						
H 95/30 ERHN (100 PCS)	E08KH-01010106000			30				–	–		0,52						
H 95/32 ERHN (100 PCS)	E08KH-01010106100			32				–	–		0,53						
H 120/32 ERHN (100 PCS)	E08KH-01010106200	120	4/0	32	16,5	19,0	0,50	–	–	100	0,76						
H 120/34 ERHN (100 PCS)	E08KH-01010106300			34				–	–		0,78						
H 150/32 ERHN (100 PCS)	E08KH-01010106400	150	300 MCM	32	18,5	21,0	0,50	–	–	100	0,89						
H 150/38 ERHN (100 PCS)	E08KH-01010106500			38				–	–		0,96						
H 185/32 ERHN (25 PCS)	E08KH-01010106530	185	350 MCM	32	20,0	23,5	0,60	–	–	25	0,29						
H 185/40 ERHN (25 PCS)	E08KH-01010106550			40				–	–		0,36						
H 240/40 ERHN (25 PCS)	E08KH-01010106600	240	500 MCM	40	22,8	25,5	0,60	–	–	25	0,45						