【**Product Picture**】

1

【**Product Description**】

   The CU215 is a high-quality USB 2.0 cable featuring a USB Type-A male to Mini USB 5-pin male connector. Designed for durability and reliable performance, this cable supports data transfer speeds up to 480Mbps. With a robust PVC jacket and nickel-plated connectors, it ensures stable connections and long-lasting use. Available in multiple lengths, it is ideal for connecting a wide range of legacy devices to computers or power sources. Plug-and-play compatibility with Windows, macOS, and Linux systems makes it a versatile solution for data transfer and charging needs.

【Tech Specs】

Technical Specification	Description
Model	CU215
Color	Black
Product Type	USB to Male to Mini USB 5Pin Male
USB Version	USB 2.0
Data Transfer Rate	Up to 480Mbps
Cable Length	1.5m, 1.8m, 3.0m, 5.0m
Connector Plating	Nickel-plated
Jacket Material	PVC
Outer Diameter (OD)	4.5mm
Compatibility	Windows, Linux, macOS
Plug-and-Play	Yes

【Features】

1. **High Compatibility:** Fully compatible with Windows, macOS, and Linux systems.

2. **Stable Transmission:** Supports USB 2.0 high-speed data transfer up to 480Mbps.

3. **Durable Design:** Nickel-plated connectors and high-quality PVC jacket ensure long-term reliability.

4. **Versatile Length Options:** Available in multiple lengths to suit different use scenarios.

5. **Easy to Use:** Plug-and-play functionality with no driver installation required.

【Application Environment】

1. **Data Transmission:** Ideal for connecting Mini USB devices such as digital cameras, MP3 players, external hard drives, and GPS units.

2. **Office and Home Use:** Suitable for both professional workstations and personal electronics.

3. **System Compatibility:** Works seamlessly with legacy systems and various peripheral devices.

【Important Notice】

1. **Length Variation:** Longer cables may experience slight signal attenuation depending on device compatibility.

2. **Connector Type:** Ensure your device supports Mini USB 5Pin interface before purchase.

3. **Environmental Conditions:** Store and use in dry, normal temperature environments to maintain cable performance.