

TECHNICAL DATA SHEET

Shredder Oil

A key maintenance element that ensures the longevity and smooth operation of your shredder. The carefully developed formula allows the product to effectively lubricate and protect the cutting blades, prevent paper dust buildup, and minimize the risk of malfunction. An indispensable product for offices, homes, and institutions that use shredders on a daily basis.

Product features:

- high efficiency,
- suitable for all types of shredders,
- minimizes dust formation,
- prevents paper jamming,
- ensures quiet operation of devices,
- increases the durability of cutting blades,
- chemically neutral and resistant to high temperatures.
- easy application and even distribution.



of for all types of shredders, both in the office and at home.



Physicochemical properties	
Appearance	Transparent Liquid
Odor	None
Density at 20°C	0.85-0.88 g/cm ³
Kinematic Viscosity at 40°C	66-74 cP
Vapour Pressure at 20°C	0.1 hPa
Flash Point	>170°C
Shelf life	3 years







TECHNICAL DATA SHEET

Compatibility:

Shredder oil is suitable for all shredder models, regardless of the manufacturer. Its chemically neutral formula is safe for the device mechanisms while providing maximum protection for cutting blades and lubricated surfaces.

Application method	
Directly onto the cutting blades	Yes
Onto paper	Yes

Usage instructions:

Restricted to professional users. Read safety data sheet carefully prior to use.

Before starting maintenance, empty the waste bin. When applying on paper, pour a small amount of oil onto a sheet in a zigzag pattern and then feed it through the shredder to evenly coat the blades. Alternatively, apply the oil directly onto the cutting blades using the applicator, then run the device to ensure the product is thoroughly distributed.

Package	
Bottle with applicator	250 ml (ART.AGT-308) - 12 pcs.*

*Quantity of pcs. in a bulk package

Storage:

Store in tightly closed containers in a cool, dry place, away from sources of heat and direct sunlight. Store at a temperature not exceeding 30°C.

Technical support:

AG TermoPasty provides technical support, answering questions about the technical specifications and applications of our products. Please contact us via email at info@termopasty.pl.

Note:

The data presented in this document reflects our current level of knowledge and describes the typical properties and applications of the product. However, the responsibility for determining its suitability for specific applications lies with the user. AG TermoPasty is not liable for the results of product use, as the conditions of application fall beyond our control.

