Bell suction cup (round)

FSG 4 HT1-60 M5-IG

Part no.:10.01.06.02969

https://www.schmalz.com/10.01.06.02969




Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Bellows Suction Cups (Round) > Bellows Suction Cups FSG (2.5 Folds) > FSG 4 HT1-60 M5-IG

Bellows suction cup (round) for very uneven workpieces



Size: 4
Suction cup material:
High temp material HT1
Material hardness: 60 °Sh
Material property: non-marking
Nipple material: Aluminium
Vacuum connection: M5-F
Number of folds: 2.5

Design Data



| Attribute | Value |
|------------|--------|
| d2 | 2.4 mm |
| dn | 2 mm |
| Dmax(S) | 7 mm |
| Ds | 3.8 mm |
| G1 | M5-IG |
| Н | 24 mm |
| LG1 | 5.5 mm |
| SW1 | 8 mm |
| Z (Stroke) | 1.5 mm |

Technical Data

Bell suction cup (round)

FSG 4 HT1-60 M5-IG

Part no.:10.01.06.02969

https://www.schmalz.com/10.01.06.02969



| Attribute | Value |
|-----------------------------|------------------------|
| Suction cup material | High temp material HT1 |
| Material hardness [Shore A] | 60 Shore A |
| Size | 4 |
| Number of folds | 2.5 |
| Connection | M5-IG |
| Curve radius (min) (convex) | 4 mm |
| Volume | 0.053 cm ³ |
| Suction force (-600mbar) | 0.27 N |
| Pull-off force | 0.6 N |
| Hose diameter (empf.) d | 2 mm |
| Weight | 1.8 g |
| Product family | FSG |

Note: Suction force: The specified suction forces are theoretical values at a vacuum of -0.6 bar and with a smooth, dry workpiece surface - they do not include a safety factor Pull-off force: The pull-off force of the versions made of natural rubber is reduced by about 40% Hose diameter: The recommended hose diameter refers to a hose length of approx. 2 m

Spare Parts



SA-NIP N017 M5-IG DN200

Part no.10.01.06.00313
Suction cup connection nipple

Nipple: N 017
Thread G1: M5-F
Overall length: 17 mm
Fitting length: 10 mm
Nominal size: 2.00 mm
Material: Aluminium

Bell suction cup (round)

FSG 4 HT1-60 M5-IG

Part no.:10.01.06.02969

https://www.schmalz.com/10.01.06.02969





FG 4 HT1-60 N017

Part no.10.01.06.02930

Bellows suction cup (round) for very uneven workpieces

Size: 4

Suction cup material: High temp material HT1 Material hardness: 60 °Sh

Number of folds: 2.5

Material property: non-marking